

月報

2013年04月

PAGE: 1

局名: 20 曾根崎 項目: 12 SPM 単位:  $\mu\text{g}/\text{m}^3$

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低		
1 月	17	4	34	33	23	23	61	25	33	8	3	6	4	5	17	39	57	75	79	61	40	38	28	29	24	742	31	79	3		
2 火	32	29	39	27	52	17	72	61	29	49	24	36	23	4	11	11	24	45	41	32	51	59	43	6	24	817	34	72	4		
3 水	6	21	16	22	23	39	51	40	11	17	39	1	4	5	13	34	28	25	16	43	35	40	29	27	24	585	24	51	1		
4 木	34	39	43	38	38	33	12	15	6	8	28	16	21	36	47	25	6	17	17	18	15	6	46	15	24	579	24	47	6		
5 金	21	17	17	29	20	12	8	8	11	11	17	45	33	30	18	40	45	50	64	34	52	25	43	23	24	673	28	64	8		
6 土	6	1	1	3	17	7	4	1	5	6	11	8	6	7	11	1	10	8	22	12	16	39	23	13	24	238	10	39	1		
7 日	16	25	30	18	10	28	18	10	28	18	5	5	13	21	1	12	17	1	6	8	1	11	17	30	24	349	15	30	1		
8 月	7	4	10	16	10	3	11	13	12	20	57	28	17	18	22	18	21	12	24	30	27	17	12	12	24	421	18	57	3		
9 火	15	1	3	6	4	8	12	41	39	40	56	46	32	調整	24	27	24	36	16	38	44	54	35	17	23	618	27	56	1		
10 水	18	39	18	22	30	17	46	23	1	8	6	1	1	1	5	23	21	4	10	39	38	1	6	12	24	390	16	46	1		
11 木	6	12	11	1	6	22	16	16	23	28	30	8	6	15	30	24	30	16	4	10	12	39	15	24	24	404	17	39	1		
12 金	22	30	23	45	7	17	21	17	12	21	27	39	38	50	24	40	51	46	55	39	43	35	6	4	24	712	30	55	4		
13 土	6	3	1	3	5	3	6	5	43	34	12	3	5	12	20	16	6	17	23	22	10	16	8	5	24	284	12	43	1		
14 日	2	6	17	6	8	28	5	25	33	23	21	66	39	34	45	47	45	24	18	49	56	40	47	78	24	762	32	78	2		
15 月	56	62	54	40	65	76	25	59	15	5	1	1	3	6	1	4	4	3	4	4	12	40	17	17	24	574	24	76	1		
16 火	23	17	18	18	32	35	22	74	50	50	50	50	51	62	36	21	39	25	41	40	47	43	33	17	24	894	37	74	17		
17 水	28	41	50	44	64	49	32	4	15	13	21	2	4	6	4	3	6	11	21	12	51	23	13	13	24	530	22	64	2		
18 木	12	22	45	34	36	29	23	35	49	24	35	45	54	50	98	25	23	21	15	12	27	28	33	25	24	800	33	98	12		
19 金	59	23	39	35	17	13	18	30	6	12	6	6	11	15	17	21	33	23	8	6	8	10	12	5	24	433	18	59	5		
20 土	4	11	11	15	7	17	12	23	18	17	20	62	43	34	11	27	33	5	7	1	1	2	1	4	24	386	16	62	1		
21 日	6	1	1	1	4	7	18	15	3	5	7	2	3	3	3	1	1	1	6	23	23	5	4	17	24	160	7	23	1		
22 月	1	6	10	34	15	8	6	12	3	6	6	11	6	調整	4	7	3	1	3	12	5	8	17	45	23	229	10	45	1		
23 火	11	3	7	7	10	15	23	33	8	15	12	36	36	23	15	16	36	25	34	22	15	5	34	49	24	490	20	49	3		
24 水	62	30	32	11	35	11	10	1	4	5	4	6	2	3	11	11	12	5	8	29	36	24	33	62	24	447	19	62	1		
25 木	13	28	21	32	28	4	1	1	12	8	6	6	15	25	40	24	38	66	21	23	29	21	23	62	24	547	23	66	1		
26 金	30	45	61	54	29	39	13	1	1	4	18	24	1	6	6	12	15	6	21	34	28	22	50	29	24	549	23	61	1		
27 土	27	15	33	32	28	39	29	23	17	5	10	17	5	12	12	18	11	13	11	18	23	39	24	18	24	479	20	39	5		
28 日	22	37	23	15	6	21	28	36	22	45	17	45	16	6	5	7	12	6	1	4	1	19	15	12	24	421	18	45	1		
29 月	18	1	6	5	5	7	16	13	23	10	8	8	8	7	10	23	34	32	16	23	24	28	20	1	24	346	14	34	1		
30 火	27	45	6	28	35	33	40	27	30	20	8	3	5	3	10	6	32	28	13	8	12	4	5	7	24	435	18	45	3		
時間	30	30	30	30	30	30	30	30	30	30	30	30	30	28	30	30	30	30	30	30	30	30	30	30	30	718					
合計	607	618	680	674	669	660	659	687	562	535	565	632	505	499	571	583	717	647	625	706	782	741	692	678		15294					
平均	20	21	23	22	22	22	22	23	19	18	19	21	17	18	19	19	24	22	21	24	26	25	23	23			21				
最高	62	62	61	54	65	76	72	74	50	50	57	66	54	62	98	47	57	75	79	61	56	59	50	78				98			
最低	1	1	1	1	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						1

有効測定日数 30 日  
 測定時間 718 時間  
 平均値 21  $\mu\text{g}/\text{m}^3$   
 1時間値が $0.20\text{mg}/\text{m}^3$ を超えた時間数とその割合 0 時間 ( 0.0%)  
 1時間値が $0.20\text{mg}/\text{m}^3$ を超えた日数とその割合 0 日 ( 0.0%)  
 日平均値が、 $0.10\text{mg}/\text{m}^3$ を超えた日数とその割合 0 日 ( 0.0%)  
 1時間値の最高値 98  $\mu\text{g}/\text{m}^3$   
 日平均値の最高値 37  $\mu\text{g}/\text{m}^3$   
 日平均値が、 $0.10\text{mg}/\text{m}^3$ を超えた日が2日以上連続したことの有無 (×:有 ○:無) ○

月報

2013年05月

PAGE:2

局名：20 曾根崎 項目：12 SPM 単位：μg/m3

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低	
1 水	11	7	3	3	11	21	11	7	3	13	8	16	22	12	28	28	20	16	7	12	17	16	12	16	24	320	13	28	3	
2 木	22	11	6	7	6	6	4	2	3	1	1	1	1	12	17	46	18	6	12	6	8	15	18	36	24	265	11	46	1	
3 金	20	10	21	12	6	1	5	7	11	23	11	23	20	22	24	45	27	8	27	22	28	7	34	54	24	468	20	54	1	
4 土	20	15	34	21	11	4	13	28	23	27	28	34	45	33	36	27	6	12	61	21	41	34	32	18	24	624	26	61	4	
5 日	28	28	12	23	50	16	28	23	44	38	45	39	12	4	17	6	15	32	18	40	21	24	39	18	24	620	26	50	4	
6 月	6	25	30	20	27	27	38	50	25	23	12	38	25	16	29	23	24	30	46	54	17	34	40	34	24	693	29	54	6	
7 火	35	12	16	45	43	22	34	43	35	18	23	10	調整	4	12	17	5	23	15	6	1	8	11	12	23	450	20	45	1	
8 水	6	7	1	13	3	3	6	3	4	1	17	13	34	11	6	6	11	49	75	36	28	17	35	15	24	400	17	75	1	
9 木	28	27	43	28	23	27	38	11	17	15	12	21	18	41	12	4	4	17	39	60	33	23	60	50	24	651	27	60	4	
10 金	28	67	56	22	54	17	33	15	12	23	6	1	13	22	28	28	55	7	28	41	17	29	46	12	24	660	28	67	1	
11 土	18	4	6	4	11	15	11	17	16	41	29	23	28	38	29	36	29	33	27	22	7	12	52	23	24	531	22	52	4	
12 日	27	22	8	1	10	23	32	17	11	17	25	66	51	56	52	38	23	22	13	30	40	54	23	28	24	689	29	66	1	
13 月	50	34	30	22	22	64	50	35	29	28	67	28	17	36	28	34	29	32	66	38	82	67	55	49	24	992	41	82	17	
14 火	40	50	28	55	35	15	15	39	28	34	33	46	44	40	33	77	45	38	56	30	43	55	54	60	24	993	41	77	15	
15 水	39	36	22	33	32	6	3	17	25	41	44	50	44	39	24	25	28	41	21	11	16	11	33	3	24	644	27	50	3	
16 木	10	15	23	30	47	35	25	57	47	23	31	44	21	25	32	56	45	13	17	32	24	8	1	13	24	674	28	57	1	
17 金	8	10	29	5	6	1	4	10	1	6	6	6	24	22	39	52	32	10	10	4	1	5	5	5	24	301	13	52	1	
18 土	1	7	4	6	10	50	23	20	41	7	6	17	16	10	4	28	34	27	22	23	44	40	45	15	24	500	21	50	1	
19 日	1	8	7	6	4	6	18	4	5	4	6	20	28	40	8	44	39	15	17	17	27	27	17	18	24	386	16	44	1	
20 月	18	23	66	41	28	15	33	27	17	18	13	34	22	12	20	16	25	25	13	15	50	44	18	18	24	611	25	66	12	
21 火	28	8	1	7	28	44	5	24	17	44	73	21	28	56	45	56	77	52	28	57	24	34	36	59	24	852	36	77	1	
22 水	63	56	92	50	57	67	74	67	49	57	64	56	88	100	73	63	調整	68	39	46	25	57	74	56	23	1441	63	100	25	
23 木	49	55	16	71	50	34	15	74	50	39	34	61	45	49	59	18	36	36	35	21	47	17	15	25	24	951	40	74	15	
24 金	32	20	33	50	44	60	46	39	51	77	71	47	47	63	69	30	78	98	57	41	71	88	83	90	24	1385	58	98	20	
25 土	60	34	28	16	11	11	11	11	28	61	62	56	62	83	61	56	51	46	41	46	28	44	43	49	24	999	42	83	11	
26 日	24	13	23	10	15	45	30	18	22	50	12	24	32	34	20	33	18	3	2	13	28	29	11	11	24	520	22	50	2	
27 月	6	6	16	11	22	43	29	33	40	34	35	13	6	8	6	12	20	20	41	23	17	16	10	17	24	484	20	43	6	
28 火	8	6	23	6	4	17	61	17	30	30	39	51	23	25	23	20	30	39	21	24	12	12	17	4	24	542	23	61	4	
29 水	3	16	22	28	30	8	52	87	30	77	111	56	46	45	39	78	61	72	69	73	72	87	75	89	24	1326	55	111	3	
30 木	38	45	34	36	54	67	55	29	33	34	6	56	57	72	52	57	89	68	72	45	46	52	61	50	24	1208	50	89	6	
31 金	40	8	45	30	16	1	8	24	30	12	18	59	45	33	16	21	28	35	28	18	12	34	46	39	24	646	27	59	1	
時間	31	31	31	31	31	31	31	31	31	31	31	31	30	31	31	31	30	31	31	31	31	31	31	31	742					
合計	767	685	778	712	770	771	810	855	777	916	948	1030	964	1063	941	1080	1002	993	1023	927	927	1000	1101	986		21826				
平均	25	22	25	23	25	25	26	28	25	30	31	33	32	34	30	35	33	32	33	30	30	32	36	32			29			
最高	63	67	92	71	57	67	74	87	51	77	111	66	88	100	73	78	89	98	75	73	82	88	83	90				111		
最低	1	4	1	1	3	1	3	2	1	1	1	1	1	4	4	4	4	3	2	4	1	5	1	3						1

有効測定日数 31 日  
 測定時間 742 時間  
 平均値 29 μg/m3  
 1時間値が0.20mg/m3を超えた時間数とその割合 0 時間( 0.0%)  
 1時間値が0.20mg/m3を超えた日数とその割合 0 日( 0.0%)  
 日平均値が、0.10mg/m3を超えた日数とその割合 0 日( 0.0%)  
 1時間値の最高値 111 μg/m3  
 日平均値の最高値 63 μg/m3  
 日平均値が、0.10mg/m3を超えた日が2日以上連続したことの有無 (×:有 ○:無) ○

月報

2013年06月

PAGE:3

局名: 20 曾根崎 項目: 12 SPM 単位:  $\mu\text{g}/\text{m}^3$

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低
1 土	35	54	10	1	18	38	34	2	8	18	39	55	44	21	36	25	55	28	23	10	11	6	12	5	24	588	25	55	1
2 日	6	4	15	11	8	13	5	11	7	1	5	2	8	3	2	3	4	4	5	7	12	5	6	4	24	151	6	15	1
3 月	2	3	6	6	6	5	1	1	1	3	8	3	2	10	6	1	3	13	7	13	13	24	6	11	24	154	6	24	1
4 火	8	18	30	6	6	1	6	6	6	1	6	2	27	15	10	17	29	調整	27	20	15	17	50	33	23	356	15	50	1
5 水	23	16	4	11	11	8	23	18	17	11	11	11	6	3	23	45	39	54	47	49	28	30	17	12	24	517	22	54	3
6 木	6	4	7	7	5	13	17	28	6	7	6	11	6	1	6	10	3	18	38	27	44	39	25	21	24	355	15	44	1
7 金	44	20	22	15	3	7	15	33	39	15	39	55	36	41	38	34	34	44	69	16	12	1	3	6	24	641	27	69	1
8 土	5	10	11	6	10	17	41	35	43	17	41	99	35	56	66	75	83	56	49	32	41	44	56	87	24	1015	42	99	5
9 日	147	60	56	27	1	3	3	6	6	7	12	12	3	17	7	12	8	7	12	30	20	15	13	23	24	507	21	147	1
10 月	13	5	12	11	8	28	16	21	11	8	12	11	2	11	6	20	12	3	12	28	29	18	6	28	24	331	14	29	2
11 火	2	3	4	5	1	1	2	1	1	3	1	6	15	11	5	8	15	12	23	22	15	3	1	12	24	172	7	23	1
12 水	2	5	1	6	2	1	4	8	29	23	57	21	17	20	34	28	13	43	1	7	27	28	25	20	24	422	18	57	1
13 木	39	23	6	18	8	11	7	6	8	17	15	16	23	58	67	52	60	50	17	34	28	15	23	43	24	644	27	67	6
14 金	52	22	22	32	7	43	34	49	59	20	13	38	39	29	24	35	12	25	47	35	34	30	43	12	24	756	32	59	7
15 土	67	29	40	54	46	33	21	20	11	16	22	49	3	1	8	6	13	17	11	8	3	6	6	6	24	496	21	67	1
16 日	4	1	2	2	1	4	3	17	11	39	32	39	29	17	13	3	16	23	11	17	22	23	1	15	24	345	14	39	1
17 月	12	25	31	16	1	6	12	13	1	13	14	調整	電断	調整	調整	1	6	7	27	24	32	8	7	12	20	268	13	32	1
18 火	20	27	12	23	8	3	3	6	4	29	32	39	41	13	40	23	10	12	17	6	6	4	12	18	24	408	17	41	3
19 水	5	8	37	39	17	34	39	66	22	27	12	7	7	13	17	1	3	8	17	6	6	6	4	4	24	405	17	66	1
20 木	3	12	8	11	28	12	5	21	45	51	20	4	5	12	6	1	1	1	4	4	1	3	10	8	24	276	12	51	1
21 金	11	5	6	12	23	4	3	5	7	5	6	5	2	7	4	7	1	4	7	3	2	3	23	8	24	163	7	23	1
22 土	11	4	6	1	8	17	41	22	6	5	8	13	6	3	4	4	15	20	20	8	11	8	1	5	24	247	10	41	1
23 日	4	12	22	25	20	27	40	10	29	22	27	5	5	7	21	7	10	23	18	16	20	4	11	22	24	407	17	40	4
24 月	13	11	22	33	17	12	4	6	11	8	5	1	1	6	4	28	32	30	33	44	27	17	23	69	24	457	19	69	1
25 火	24	8	45	21	45	35	39	28	27	47	39	38	6	15	16	21	21	16	17	6	16	23	21	16	24	590	25	47	6
26 水	24	13	18	1	3	3	3	1	3	4	2	3	8	5	8	1	6	10	3	10	6	1	3	7	24	146	6	24	1
27 木	16	1	5	7	3	3	6	8	6	2	8	10	17	39	49	20	22	23	23	6	35	28	11	10	24	358	15	49	1
28 金	8	16	5	5	25	21	4	8	12	12	6	10	15	21	12	10	13	20	35	1	12	18	10	21	24	320	13	35	1
29 土	4	5	13	20	10	1	5	12	4	11	17	12	22	23	28	5	10	6	6	5	1	3	5	7	24	235	10	28	1
30 日	3	8	21	24	16	10	23	18	20	23	15	13	6	4	4	6	1	11	18	34	16	1	15	15	24	325	14	34	1
時間	30	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	29	30	30	30	30	30	30	715				
合計	613	432	499	456	365	414	459	486	460	465	530	590	436	482	564	509	550	588	644	528	545	431	449	560		12055			
平均	20	14	17	15	12	14	15	16	15	16	18	20	15	17	19	17	18	20	21	18	18	14	15	19			17		
最高	147	60	56	54	46	43	41	66	59	51	57	99	44	58	67	75	83	56	69	49	44	44	56	87			147		
最低	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	4					1

有効測定日数 30 日  
 測定時間 715 時間  
 平均値 17  $\mu\text{g}/\text{m}^3$   
 1時間値が0.20mg/m3を超えた時間数とその割合 0 時間 ( 0.0%)  
 1時間値が0.20mg/m3を超えた日数とその割合 0 日 ( 0.0%)  
 日平均値が、0.10mg/m3を超えた日数とその割合 0 日 ( 0.0%)  
 1時間値の最高値 147  $\mu\text{g}/\text{m}^3$   
 日平均値の最高値 42  $\mu\text{g}/\text{m}^3$   
 日平均値が、0.10mg/m3を超えた日が2日以上連続したことの有無 (×:有 ○:無) ○

月報

2013年07月

PAGE:4

局名：20 曾根崎 項目：12 SPM 単位：μg/m3

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低
1 月	6	5	3	3	2	3	7	4	4	4	6	17	6	2	11	17	17	23	34	41	39	16	29	33	24	332	14	41	2
2 火	17	4	4	1	2	5	12	17	11	16	10	調整	調整	23	39	13	25	28	7	3	1	7	23	21	22	289	13	39	1
3 水	11	2	6	11	3	6	12	7	1	1	7	3	11	11	21	10	12	8	39	52	56	62	36	50	24	438	18	62	1
4 木	39	38	6	10	28	56	44	61	35	40	16	61	30	30	17	17	3	7	5	11	17	23	34	46	24	674	28	61	3
5 金	44	51	36	16	8	5	7	34	22	59	39	12	17	11	10	10	39	15	23	15	18	12	67	54	24	624	26	67	5
6 土	17	12	22	24	8	25	56	45	45	21	20	13	8	11	23	27	23	7	6	15	44	9	28	15	24	524	22	56	6
7 日	13	27	28	44	50	13	63	27	17	3	7	10	1	1	1	11	6	1	4	7	1	18	21	8	24	382	16	63	1
8 月	4	8	22	36	43	21	45	29	36	17	8	3	7	1	10	12	20	10	3	5	12	23	54	28	24	457	19	54	1
9 火	12	12	7	6	11	30	33	38	13	17	10	6	17	47	52	17	46	18	33	22	28	5	8	5	24	493	21	52	5
10 水	1	6	5	12	11	3	5	8	13	35	13	38	1	1	4	3	10	1	11	39	35	20	15	17	24	307	13	39	1
11 木	27	6	1	17	36	15	12	25	15	18	23	21	26	23	4	1	7	1	4	17	17	11	3	12	24	342	14	36	1
12 金	7	13	15	18	55	15	5	32	5	23	15	10	3	5	5	23	13	6	12	29	24	1	10	21	24	365	15	55	1
13 土	6	12	16	28	12	8	22	28	12	3	27	23	1	12	17	12	10	1	11	30	55	27	38	16	24	427	18	55	1
14 日	24	28	10	35	33	5	13	23	21	18	21	20	25	10	21	12	30	34	25	18	43	29	34	35	24	567	24	43	5
15 月	23	20	23	25	8	18	27	1	11	11	11	4	6	5	6	7	23	24	8	20	6	12	16	15	24	330	14	27	1
16 火	6	6	3	39	41	3	1	10	11	32	45	1	8	8	5	5	6	8	調整	22	7	10	22	18	23	317	14	45	1
17 水	21	17	11	10	21	30	8	18	22	12	28	12	15	28	23	36	50	38	72	34	34	22	1	4	24	567	24	72	1
18 木	3	13	12	8	18	4	6	6	21	22	33	32	34	39	45	21	28	33	6	5	4	5	18	6	24	422	18	45	3
19 金	6	7	4	4	3	6	17	29	24	34	39	26	13	17	20	17	34	43	30	17	22	25	1	1	24	439	18	43	1
20 土	6	4	5	1	4	1	3	6	10	18	17	32	30	20	36	24	32	36	28	6	5	10	10	13	24	357	15	36	1
21 日	24	3	24	54	35	57	39	38	11	17	23	16	6	7	2	1	4	8	4	7	17	28	12	17	24	454	19	57	1
22 月	22	6	35	40	33	18	11	28	17	11	18	17	28	34	19	56	93	45	25	7	3	17	1	6	24	590	25	93	1
23 火	1	17	3	3	1	7	3	6	13	18	21	22	24	17	17	44	12	32	23	39	24	15	17	16	24	395	16	44	1
24 水	23	20	17	27	16	6	17	11	18	30	24	30	33	30	3	9	44	38	39	45	29	17	22	22	24	570	24	45	3
25 木	12	12	33	27	59	78	102	72	56	59	45	41	83	79	61	56	51	78	72	60	61	56	107	45	24	1405	59	107	12
26 金	46	61	54	69	80	67	95	45	47	54	56	38	39	74	94	102	62	78	41	72	102	94	77	44	24	1591	66	102	38
27 土	24	79	84	66	95	88	78	73	50	37	50	34	30	55	30	34	30	39	20	59	84	55	72	45	24	1311	55	95	20
28 日	89	49	7	12	12	6	8	6	17	1	17	14	17	13	29	22	54	37	6	30	23	62	33	45	24	609	25	89	1
29 月	28	60	17	12	17	23	29	28	27	55	30	59	83	69	調整	41	85	34	56	50	39	69	51	16	23	978	43	85	12
30 火	13	35	11	23	13	17	49	33	16	34	28	57	63	57	39	66	73	84	74	78	50	49	50	59	24	1071	45	84	11
31 水	18	28	34	21	38	39	17	32	18	36	20	13	13	16	34	61	39	33	34	25	18	18	56	29	24	690	29	61	13
時間	31	31	31	31	31	31	31	31	31	31	31	30	30	31	30	31	31	31	30	31	31	31	31	31	740				
合計	593	661	558	702	796	678	846	820	639	756	727	685	678	756	698	787	981	848	755	880	918	827	966	762		18317			
平均	19	21	18	23	26	22	27	26	21	24	23	23	23	24	23	25	32	27	25	28	30	27	31	25			25		
最高	89	79	84	69	95	88	102	73	56	59	56	61	83	79	94	102	93	84	74	78	102	94	107	59				107	
最低	1	2	1	1	1	1	1	1	1	1	1	6	1	1	1	1	1	3	1	3	3	1	1	1					1

有効測定日数 31 日  
 測定時間 740 時間  
 平均値 25 μg/m3  
 1時間値が0.20mg/m3を超えた時間数とその割合 0 時間( 0.0%)  
 1時間値が0.20mg/m3を超えた日数とその割合 0 日( 0.0%)  
 日平均値が、0.10mg/m3を超えた日数とその割合 0 日( 0.0%)  
 1時間値の最高値 107 μg/m3  
 日平均値の最高値 66 μg/m3  
 日平均値が、0.10mg/m3を超えた日が2日以上連続したことの有無 (×:有 ○:無) ○

月報

2013年08月

PAGE:5

局名：20 曾根崎 項目：12 SPM 単位：μg/m3

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低
1 木	54	28	17	20	28	62	17	14	13	11	3	24	11	10	20	35	17	64	36	47	56	45	34	16	24	682	28	64	3
2 金	44	12	39	73	22	23	5	15	3	6	11	47	39	30	30	61	24	10	1	1	6	11	15	30	24	558	23	73	1
3 土	10	18	6	8	39	30	8	8	12	7	21	7	17	23	8	55	24	25	28	28	41	55	12	6	24	496	21	55	6
4 日	21	28	12	23	39	15	6	6	3	7	21	16	12	5	6	4	1	6	5	1	2	3	10	3	24	255	11	39	1
5 月	8	28	28	4	18	12	10	32	25	39	52	39	21	30	59	84	17	64	56	29	32	6	8	22	24	723	30	84	4
6 火	23	23	44	25	47	23	22	25	28	38	50	56	60	51	25	12	14	19	8	49	63	78	33	61	24	877	37	78	8
7 水	30	45	39	50	32	51	64	39	15	8	6	10	11	43	44	39	18	55	41	45	117	112	64	40	24	1018	42	117	6
8 木	20	18	56	32	17	23	64	67	54	44	28	22	49	23	12	21	10	34	39	39	23	33	22	13	24	763	32	67	10
9 金	28	39	12	20	29	56	56	27	29	36	50	67	23	61	29	47	61	50	46	39	74	55	77	36	24	1047	44	77	12
10 土	35	24	33	41	67	28	24	12	17	電断	50	37	20	29	50	40	83	52	64	63	46	20	67	47	23	949	41	83	12
11 日	35	24	25	23	29	37	50	51	63	52	69	58	104	48	22	37	12	17	74	50	37	30	34	56	24	1037	43	104	12
12 月	31	34	51	34	31	35	37	39	23	74	61	調整	39	78	42	20	26	55	62	59	58	59	78	74	23	1100	48	78	20
13 火	70	82	42	62	78	62	49	71	59	34	29	4	31	7	30	23	22	17	22	14	5	7	17	11	24	848	35	82	4
14 水	39	45	56	50	30	13	6	25	47	43	26	56	60	100	69	52	41	11	17	6	11	13	6	5	24	827	34	100	5
15 木	10	11	28	24	50	46	49	61	89	49	64	49	65	29	24	41	13	29	61	19	6	18	31	19	24	885	37	89	6
16 金	35	31	37	51	28	33	5	23	33	24	45	29	45	74	39	52	24	37	46	16	24	61	56	39	24	887	37	74	5
17 土	37	38	11	39	30	20	67	60	47	39	29	78	46	30	19	39	61	51	39	52	73	50	63	49	24	1067	44	78	11
18 日	59	60	60	56	49	34	35	38	45	18	7	3	19	32	31	46	61	78	71	31	88	33	43	67	24	1064	44	88	3
19 月	44	3	5	7	10	12	24	16	8	20	23	28	31	26	42	16	35	45	30	39	28	13	40	52	24	597	25	52	3
20 火	54	28	20	18	23	32	1	1	1	1	1	3	9	12	50	35	46	81	58	34	22	10	23	26	24	589	25	81	1
21 水	23	11	23	17	6	17	27	18	6	6	6	7	34	47	68	62	45	56	19	24	47	1	1	4	24	575	24	68	1
22 木	1	23	34	5	23	28	40	15	13	6	35	35	16	26	22	12	32	19	34	24	26	34	45	30	24	578	24	45	1
23 金	12	36	24	10	12	11	24	8	3	1	5	3	4	1	2	3	7	6	7	6	5	1	12	16	24	219	9	36	1
24 土	21	14	28	39	34	8	11	18	17	23	37	35	40	24	1	6	21	10	8	10	1	3	1	1	24	411	17	40	1
25 日	2	6	1	6	8	1	6	3	12	15	25	26	20	20	6	1	1	16	17	1	7	5	5	7	24	217	9	26	1
26 月	4	3	4	1	4	3	1	4	8	16	41	24	4	6	5	6	6	10	24	3	4	4	17	18	24	220	9	41	1
27 火	18	14	36	1	3	3	8	3	8	1	3	3	12	22	18	28	33	59	82	調整	55	29	22	60	23	521	23	82	1
28 水	34	22	38	35	8	6	5	1	5	8	10	5	5	8	3	1	1	6	18	24	13	8	21	11	24	296	12	38	1
29 木	25	32	36	34	22	23	43	45	39	40	6	37	14	4	8	7	16	34	50	61	6	4	6	18	24	610	25	61	4
30 金	28	12	3	21	16	12	12	23	22	18	31	21	34	25	13	26	27	43	35	6	3	39	11	6	24	487	20	43	3
31 土	5	11	10	10	4	6	12	8	29	12	5	17	17	28	29	7	12	25	33	8	14	5	13	23	24	343	14	33	4
時間	31	31	31	31	31	31	31	31	31	30	31	30	31	31	31	31	31	31	31	30	31	31	31	31	741				
合計	860	803	858	839	836	765	788	776	776	696	850	846	912	952	826	918	811	1084	1131	828	993	845	887	866		20746			
平均	28	26	28	27	27	25	25	25	25	23	27	28	29	31	27	30	26	35	36	28	32	27	29	28			28		
最高	70	82	60	73	78	62	67	71	89	74	69	78	104	100	69	84	83	81	82	63	117	112	78	74				117	
最低	1	3	1	1	3	1	1	1	1	1	1	3	4	1	1	1	1	6	1	1	1	1	1	1					1

有効測定日数 31 日  
 測定時間 741 時間  
 平均値 28 μg/m3  
 1時間値が0.20mg/m3を超えた時間数とその割合 0 時間( 0.0%)  
 1時間値が0.20mg/m3を超えた日数とその割合 0 日( 0.0%)  
 日平均値が、0.10mg/m3を超えた日数とその割合 0 日( 0.0%)  
 1時間値の最高値 117 μg/m3  
 日平均値の最高値 48 μg/m3  
 日平均値が、0.10mg/m3を超えた日が2日以上連続したことの有無 (×:有 ○:無) ○

月報

2013年09月

PAGE:6

局名：20 曾根崎 項目：12 SPM 単位：μg/m3

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低		
1 日	12	18	12	4	7	11	12	14	11	6	21	23	29	24	11	17	11	17	25	4	5	4	12	5	24	315	13	29	4		
2 月	4	4	5	4	7	8	12	20	3	39	33	1	1	13	5	1	5	6	11	8	23	18	21	6	24	258	11	39	1		
3 火	12	16	25	8	3	1	5	6	17	3	56	44	20	11	7	10	23	5	1	6	1	1	3	1	24	285	12	56	1		
4 水	1	1	1	3	6	11	33	23	4	3	4	12	5	4	1	6	4	1	12	3	3	7	1	10	24	159	7	33	1		
5 木	16	5	12	8	3	5	13	36	17	23	26	18	26	26	6	31	21	17	12	3	10	10	8	3	24	355	15	36	3		
6 金	4	3	1	5	6	5	6	5	5	4	11	4	24	23	34	35	40	40	34	41	6	25	3	23	24	387	16	41	1		
7 土	12	16	13	8	6	21	12	45	28	28	20	18	31	38	64	50	43	57	45	73	110	28	18	39	24	823	34	110	6		
8 日	31	3	6	1	1	1	3	3	6	1	1	1	6	3	6	5	9	7	54	34	29	30	12	7	24	260	11	54	1		
9 月	6	6	6	5	13	5	1	6	12	17	4	5	3	12	6	1	4	17	30	12	1	6	1	3	24	182	8	30	1		
10 火	6	1	24	17	8	1	7	10	13	23	55	26	13	18	33	28	30	25	17	23	45	24	10	7	24	464	19	55	1		
11 水	23	17	56	36	37	24	12	35	23	22	12	14	4	6	13	34	39	83	調整	50	55	22	29	85	23	731	32	85	4		
12 木	40	12	17	16	23	23	6	34	13	4	8	6	30	39	83	34	28	35	27	17	12	12	63	62	24	644	27	83	4		
13 金	45	24	37	22	28	44	46	39	64	47	31	50	44	35	12	50	71	68	61	35	50	51	45	30	24	1029	43	71	12		
14 土	52	31	28	39	44	39	50	94	89	74	34	30	72	37	49	45	6	59	61	14	78	52	40	45	24	1162	48	94	6		
15 日	55	16	12	32	26	18	47	34	35	24	33	30	26	50	31	45	37	41	6	25	5	6	3	3	24	640	27	55	3		
16 月	8	17	6	27	29	16	17	30	5	22	46	25	11	7	8	8	22	28	25	18	44	36	5	10	24	470	20	46	5		
17 火	7	18	12	5	1	1	6	1	16	3	4	1	3	1	7	6	4	5	4	1	3	6	6	1	24	122	5	18	1		
18 水	6	4	24	10	5	6	1	3	6	1	3	1	1	12	12	4	4	17	18	14	16	28	21	30	24	247	10	30	1		
19 木	6	11	5	21	1	7	12	1	24	17	6	1	5	6	11	32	34	36	8	21	16	50	28	12	24	371	15	50	1		
20 金	26	51	39	33	25	5	11	6	11	4	3	4	5	12	21	28	34	25	30	41	18	71	20	12	24	535	22	71	3		
21 土	33	1	3	4	4	6	8	12	23	51	8	12	23	44	39	56	47	16	23	29	32	16	17	12	24	519	22	56	1		
22 日	31	25	1	7	6	3	6	7	4	9	12	12	22	17	12	12	15	11	12	17	33	55	71	30	24	430	18	71	1		
23 月	37	55	49	28	46	29	50	7	16	39	26	12	32	27	18	16	12	11	34	21	29	6	10	19	24	629	26	55	6		
24 火	12	6	18	12	10	11	7	11	18	18	55	25	調整	39	33	33	65	47	30	25	28	18	17	30	23	568	25	65	6		
25 水	46	36	36	3	25	1	17	17	13	17	4	8	8	16	22	34	24	14	6	7	6	2	18	12	24	392	16	46	1		
26 木	1	12	8	1	1	1	10	8	11	3	1	1	6	12	6	1	6	5	12	8	6	6	12	25	24	163	7	25	1		
27 金	7	17	6	6	16	6	11	12	10	12	13	24	17	13	23	5	1	12	12	12	11	3	6	13	24	268	11	24	1		
28 土	6	13	28	26	7	8	11	26	13	7	3	14	44	49	1	23	34	21	45	6	6	1	1	1	24	394	16	49	1		
29 日	1	1	1	1	1	15	16	34	24	34	24	13	22	26	23	13	29	17	17	28	49	10	5	6	24	410	17	49	1		
30 月	4	20	12	8	4	6	5	8	7	6	10	11	6	7	4	10	17	17	22	15	4	1	6	3	24	213	9	22	1		
時間	30	30	30	30	30	30	30	30	30	30	30	30	29	30	30	30	30	30	29	30	30	30	30	30	718						
合計	550	460	503	400	399	338	453	587	541	561	567	446	539	627	601	673	719	760	694	611	734	605	512	545		13425					
平均	18	15	17	13	13	11	15	20	18	19	19	15	19	21	20	22	24	25	24	20	24	20	17	18			19				
最高	55	55	56	39	46	44	50	94	89	74	56	50	72	50	83	56	71	83	61	73	110	71	71	85			110				
最低	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							1

有効測定日数 30 日  
 測定時間 718 時間  
 平均値 19 μg/m3  
 1時間値が0.20mg/m3を超えた時間数とその割合 0 時間( 0.0%)  
 1時間値が0.20mg/m3を超えた日数とその割合 0 日( 0.0%)  
 日平均値が、0.10mg/m3を超えた日数とその割合 0 日( 0.0%)  
 1時間値の最高値 110 μg/m3  
 日平均値の最高値 48 μg/m3  
 日平均値が、0.10mg/m3を超えた日が2日以上連続したことの有無 (×：有 ○：無) ○

月報

2013年10月

PAGE:7

局名：20 曾根崎 項目：12 SPM 単位：μg/m3

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低	
1 火	3	11	5	12	9	4	28	7	4	1	13	25	19	12	6	10	30	7	1	7	6	11	1	8	24	240	10	30	1	
2 水	12	21	31	18	6	10	14	4	1	17	25	12	42	17	28	19	10	17	24	1	8	28	28	19	24	412	17	42	1	
3 木	5	27	36	17	10	3	8	1	22	23	12	25	18	19	32	64	57	43	4	13	4	4	11	4	24	462	19	64	1	
4 金	5	3	6	13	5	6	6	4	1	31	17	6	4	1	4	10	7	6	12	12	6	7	25	13	24	210	9	31	1	
5 土	6	8	6	3	4	13	10	10	7	7	7	6	6	17	7	32	27	36	26	26	27	34	8	1	24	334	14	36	1	
6 日	13	1	4	6	3	1	29	28	6	16	1	1	4	4	6	1	7	6	10	5	16	18	13	34	24	233	10	34	1	
7 月	8	5	8	23	6	1	1	1	6	3	17	23	23	31	40	25	42	13	19	11	4	12	6	12	24	340	14	42	1	
8 火	21	4	23	14	6	10	33	9	25	39	28	5	6	6	調整	5	17	7	6	6	5	5	1	6	23	287	12	39	1	
9 水	6	3	4	11	4	23	22	44	35	8	18	17	6	6	1	10	14	4	8	6	10	17	39	34	24	350	15	44	1	
10 木	26	12	35	1	17	8	7	9	18	7	1	17	31	40	25	21	13	4	21	56	34	26	23	20	24	472	20	56	1	
11 金	14	28	1	5	6	18	8	17	3	18	25	28	15	22	23	29	20	56	117	51	95	78	83	72	24	832	35	117	1	
12 土	39	14	7	12	18	24	6	12	16	15	16	23	13	4	12	1	5	3	17	36	4	1	17	17	24	332	14	39	1	
13 日	8	6	3	5	1	5	3	5	4	1	6	1	4	4	16	8	10	28	3	4	6	6	22	12	24	171	7	28	1	
14 月	7	15	17	18	23	10	6	6	1	4	6	5	17	8	8	15	45	21	7	16	51	50	31	20	24	407	17	51	1	
15 火	23	2	10	5	11	23	34	10	26	28	26	7	16	39	29	34	28	3	5	8	6	1	17	17	24	408	17	39	1	
16 水	30	5	1	12	7	6	1	1	17	17	10	10	7	10	6	1	8	1	12	21	10	14	17	8	24	232	10	30	1	
17 木	1	4	4	3	12	18	10	23	6	6	7	19	11	10	6	11	12	6	7	4	7	19	16	34	24	256	11	34	1	
18 金	24	17	8	7	6	3	8	3	4	5	14	6	6	10	7	11	8	38	23	45	21	28	28	23	24	353	15	45	3	
19 土	8	4	6	1	11	5	3	4	6	1	16	12	21	18	12	5	6	1	5	1	12	6	3	1	24	168	7	21	1	
20 日	4	1	5	6	6	13	18	1	1	10	6	16	5	10	6	12	17	22	6	6	4	16	4	6	24	201	8	22	1	
21 月	1	6	12	19	25	28	12	20	1	6	1	8	6	3	5	5	4	7	4	1	3	4	1	1	24	183	8	28	1	
22 火	4	1	1	1	5	6	12	22	12	3	10	10	調整	6	18	16	6	5	21	4	1	1	3	1	23	169	7	22	1	
23 水	13	14	4	6	3	6	4	1	6	1	1	12	16	8	4	4	12	17	7	19	10	6	1	3	24	178	7	19	1	
24 木	6	1	1	4	1	1	1	6	6	12	25	5	6	4	6	5	36	6	1	5	1	4	1	2	24	146	6	36	1	
25 金	5	1	1	1	3	3	1	1	6	6	6	13	18	3	18	28	6	3	4	6	6	6	25	13	24	183	8	28	1	
26 土	11	17	25	13	12	11	28	17	22	6	29	11	17	12	24	37	1	17	6	24	16	17	69	36	24	478	20	69	1	
27 日	44	25	5	17	15	25	12	6	2	3	3	1	5	6	4	5	4	7	16	17	30	27	54	33	24	366	15	54	1	
28 月	18	45	7	1	11	6	3	4	1	4	6	2	5	6	3	6	12	12	3	5	14	27	17	17	24	235	10	45	1	
29 火	55	32	17	6	28	20	18	25	35	10	39	17	34	25	35	39	17	28	22	11	6	5	10	12	24	546	23	55	5	
30 水	56	22	7	6	18	6	8	22	4	17	31	56	34	44	34	19	32	33	3	12	12	10	3	10	24	499	21	56	3	
31 木	16	12	6	17	4	17	22	44	23	15	23	8	22	13	22	23	12	16	8	26	40	22	10	29	24	450	19	44	4	
時間	31	31	31	31	31	31	31	31	31	31	31	31	30	31	30	31	31	31	31	31	31	31	31	31	742					
合計	492	367	306	283	296	333	376	367	327	340	445	407	437	418	447	511	525	473	428	465	475	510	587	518		10133				
平均	16	12	10	9	10	11	12	12	11	11	14	13	15	13	15	16	17	15	14	15	15	16	19	17			14			
最高	56	45	36	23	28	28	34	44	35	39	39	56	42	44	40	64	57	56	117	56	95	78	83	72				117		
最低	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1						1

有効測定日数 31 日  
 測定時間 742 時間  
 平均値 14 μg/m3  
 1時間値が0.20mg/m3を超えた時間数とその割合 0 時間( 0.0%)  
 1時間値が0.20mg/m3を超えた日数とその割合 0 日( 0.0%)  
 日平均値が、0.10mg/m3を超えた日数とその割合 0 日( 0.0%)  
 1時間値の最高値 117 μg/m3  
 日平均値の最高値 35 μg/m3  
 日平均値が、0.10mg/m3を超えた日が2日以上連続したことの有無 (×:有 ○:無) ○

月報

2013年11月

PAGE:8

局名：20 曾根崎 項目：12 SPM 単位：μg/m3

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低
1 金	49	16	12	23	21	6	14	4	16	5	5	4	8	3	10	12	10	23	10	47	29	12	46	4	24	389	16	49	3
2 土	21	45	61	41	34	40	14	45	50	40	40	57	78	41	73	73	67	81	64	45	60	90	44	85	24	1289	54	90	14
3 日	72	67	64	56	62	56	34	20	21	34	49	10	41	12	1	16	17	36	8	8	1	1	1	15	24	702	29	72	1
4 月	23	5	17	11	1	7	12	5	6	21	40	30	21	30	47	36	61	40	55	49	22	11	17	17	24	584	24	61	1
5 火	22	62	28	62	13	22	36	17	34	5	8	17	調整	調整	10	3	14	19	17	39	22	22	36	12	22	520	24	62	3
6 水	17	23	16	29	59	34	33	16	1	10	19	17	22	36	20	35	30	24	72	51	77	42	13	13	24	709	30	77	1
7 木	8	11	22	18	28	21	17	45	30	43	9	28	17	23	20	31	18	18	33	38	77	68	61	67	24	751	31	77	8
8 金	56	55	23	47	21	46	28	28	17	12	6	8	7	6	6	4	5	7	3	8	6	1	4	16	24	420	18	56	1
9 土	30	12	13	17	6	10	11	16	20	34	23	10	24	39	30	15	35	99	133	142	94	63	45	67	24	988	41	142	6
10 日	29	41	33	23	43	44	11	12	10	14	12	33	37	24	17	11	4	13	17	4	31	15	6	6	24	490	20	44	4
11 月	6	13	3	6	1	1	6	8	17	7	1	4	4	5	1	4	20	28	28	6	8	12	7	5	24	201	8	28	1
12 火	11	15	21	17	16	34	7	10	1	1	1	4	12	8	28	31	10	41	47	15	27	16	16	5	24	394	16	47	1
13 水	6	4	3	1	12	23	1	4	3	6	23	6	6	4	7	1	8	5	21	20	20	17	7	5	24	213	9	23	1
14 木	3	3	総異	総異	総異	総異	総異	総異	調整	4	1	1	7	33	23	21	39	44	39	7	28	21	33	45	17	352	21	45	1
15 金	41	24	20	33	38	5	8	27	20	24	30	8	1	24	24	14	16	39	34	36	68	34	24	8	24	600	25	68	1
16 土	4	4	8	12	30	39	45	28	6	17	6	6	30	5	4	23	35	13	35	52	22	74	56	33	24	587	24	74	4
17 日	21	22	55	30	3	5	18	30	29	35	38	23	71	47	28	15	28	28	15	23	22	1	11	3	24	601	25	71	1
18 月	3	7	6	21	12	1	17	23	10	5	2	3	1	6	10	17	10	33	28	12	24	20	1	6	24	278	12	33	1
19 火	1	1	1	4	1	1	1	1	1	3	8	1	3	4	8	16	17	1	3	6	8	13	8	6	24	117	5	17	1
20 水	1	1	6	13	22	33	38	12	27	17	調整	17	13	8	5	12	17	12	1	1	1	17	8	2	23	284	12	38	1
21 木	4	3	7	5	5	17	34	15	6	24	41	61	13	8	7	7	1	1	3	12	16	11	17	23	24	341	14	61	1
22 金	51	5	6	11	28	1	15	23	43	47	30	30	31	27	25	18	10	21	18	13	12	1	13	7	24	486	20	51	1
23 土	5	1	4	1	1	6	1	10	3	7	8	12	6	1	10	3	10	12	30	30	39	28	64	13	24	305	13	64	1
24 日	12	12	12	6	6	28	7	6	7	12	23	12	5	8	23	47	34	46	52	105	40	38	29	16	24	586	24	105	5
25 月	12	22	11	13	39	105	52	16	23	6	17	8	59	50	30	17	17	10	12	41	39	6	1	1	24	607	25	105	1
26 火	2	1	4	10	6	2	8	3	6	10	5	6	6	15	23	11	23	23	49	25	12	6	5	6	24	267	11	49	1
27 水	1	10	17	7	1	4	1	5	8	13	18	16	7	11	17	11	11	35	21	21	11	8	5	5	24	264	11	35	1
28 木	1	8	6	17	11	17	29	11	4	7	23	29	4	11	21	17	30	18	56	10	6	7	12	25	24	380	16	56	1
29 金	4	6	1	1	1	6	6	6	5	4	1	11	15	12	12	16	3	6	6	1	8	7	6	1	24	145	6	16	1
30 土	6	16	8	10	5	6	6	1	5	4	4	6	3	3	12	34	28	23	39	18	18	5	23	24	24	307	13	39	1
時間	30	30	29	29	29	29	29	29	29	30	29	30	29	29	30	30	30	30	30	30	30	30	30	30	710				
合計	522	515	488	545	526	620	510	447	429	471	491	478	552	504	552	571	628	799	949	885	848	667	619	541		14157			
平均	17	17	17	19	18	21	18	15	15	16	17	16	19	17	18	19	21	27	32	30	28	22	21	18			20		
最高	72	67	64	62	62	105	52	45	50	47	49	61	78	50	73	73	67	99	133	142	94	90	64	85				142	
最低	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					1

有効測定日数 29 日  
 測定時間 710 時間  
 平均値 20 μg/m3  
 1時間値が0.20mg/m3を超えた時間数とその割合 0 時間 ( 0.0%)  
 1時間値が0.20mg/m3を超えた日数とその割合 0 日 ( 0.0%)  
 日平均値が、0.10mg/m3を超えた日数とその割合 0 日 ( 0.0%)  
 1時間値の最高値 142 μg/m3  
 日平均値の最高値 54 μg/m3  
 日平均値が、0.10mg/m3を超えた日が2日以上連続したことの有無 (×：有 ○：無) ○

月報

2013年12月

PAGE:9

局名：20 曾根崎 項目：12 SPM 単位：μg/m3

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低		
1 日	59	21	6	2	10	1	1	3	5	7	18	8	5	11	16	36	21	25	67	21	8	23	34	32	24	440	18	67	1		
2 月	41	23	34	22	11	39	1	12	6	20	12	29	50	23	34	11	22	12	23	52	28	27	5	1	24	538	22	52	1		
3 火	10	6	4	13	3	1	1	1	8	12	23	27	27	調整	調整	56	29	27	41	30	32	15	3	1	22	370	17	56	1		
4 水	1	1	3	8	5	3	1	11	3	12	4	20	59	32	34	29	27	12	24	17	27	10	4	39	24	386	16	59	1		
5 木	22	16	1	2	5	7	1	3	7	6	6	6	22	26	22	52	50	63	61	67	20	23	51	45	24	584	24	67	1		
6 金	62	13	33	40	29	25	12	7	18	13	10	11	41	99	90	56	100	67	56	38	16	18	10	6	24	870	36	100	6		
7 土	5	23	12	39	52	62	24	15	12	34	32	17	10	4	7	17	47	52	8	16	40	54	35	17	24	634	26	62	4		
8 日	43	34	50	11	25	12	12	10	6	5	2	24	10	30	8	3	8	20	41	78	30	28	24	49	24	563	23	78	2		
9 月	10	3	30	28	11	11	10	5	21	32	23	4	13	96	34	60	23	50	67	22	12	1	17	10	24	593	25	96	1		
10 火	7	13	5	4	3	4	13	22	8	8	27	5	27	10	20	16	55	69	44	17	23	30	27	17	24	474	20	69	3		
11 水	33	39	16	24	35	29	35	37	25	29	27	17	11	15	16	32	13	5	1	6	6	35	36	7	24	529	22	39	1		
12 木	10	12	6	6	3	4	1	5	4	1	3	1	1	4	24	12	1	21	5	6	1	1	2	1	24	135	6	24	1		
13 金	8	3	1	5	1	7	23	56	40	34	20	15	20	13	12	15	3	1	3	24	8	19	32	23	24	386	16	56	1		
14 土	41	11	18	27	33	24	8	12	28	16	15	6	7	15	12	6	3	6	28	17	4	13	17	30	24	397	17	41	3		
15 日	8	6	6	1	12	4	3	4	23	5	6	21	47	6	1	5	16	19	13	6	4	17	10	17	24	260	11	47	1		
16 月	4	1	1	1	4	1	6	1	6	1	1	4	16	4	1	調整	16	5	23	23	6	6	15	15	23	161	7	23	1		
17 火	11	1	4	3	40	39	5	6	3	12	16	8	5	8	11	11	18	12	23	12	7	1	4	5	24	265	11	40	1		
18 水	4	1	6	5	6	6	5	1	1	1	21	4	2	1	4	7	5	1	2	4	4	1	1	7	24	100	4	21	1		
19 木	6	8	1	6	23	14	39	32	10	13	17	14	13	7	6	15	3	8	12	6	6	1	4	4	24	268	11	39	1		
20 金	5	12	4	1	1	27	36	30	21	11	8	1	12	16	18	4	13	7	10	17	4	23	36	24	24	341	14	36	1		
21 土	11	1	7	7	24	1	17	13	12	7	16	45	8	4	5	7	8	10	18	6	7	17	11	6	24	268	11	45	1		
22 日	1	3	4	5	3	1	2	1	3	4	1	5	1	4	5	3	7	4	5	33	16	11	10	11	24	143	6	33	1		
23 月	1	6	1	6	4	4	12	3	5	3	6	11	12	6	10	27	56	77	64	30	36	29	46	34	24	489	20	77	1		
24 火	54	30	55	28	44	3	10	4	4	2	6	3	6	39	50	7	1	12	17	5	12	27	12	22	24	453	19	55	1		
25 水	17	4	7	5	21	39	39	28	44	17	6	23	3	1	1	6	調整	調整	5	1	15	34	16	12	22	344	16	44	1		
26 木	18	11	15	10	8	3	1	11	6	7	35	34	30	3	5	12	30	34	28	12	15	50	74	56	24	508	21	74	1		
27 金	44	38	61	79	29	60	51	47	50	29	1	12	34	28	18	3	6	3	8	1	4	6	6	4	24	622	26	79	1		
28 土	6	16	21	29	28	8	12	1	6	11	5	8	5	1	1	16	16	12	4	5	1	4	1	3	24	220	9	29	1		
29 日	4	4	3	1	8	4	12	5	16	20	24	12	16	17	24	38	11	5	3	4	1	1	4	3	24	240	10	38	1		
30 月	6	8	12	15	38	41	27	15	5	10	36	50	24	17	1	1	4	5	10	12	20	12	17	39	24	425	18	50	1		
31 火	54	34	7	25	54	72	45	39	12	44	21	36	32	28	39	17	26	34	50	50	78	47	73	18	24	935	39	78	7		
時間	31	31	31	31	31	31	31	31	31	31	31	31	31	30	30	30	30	30	31	31	31	31	31	31	739						
合計	606	402	434	458	573	556	465	440	418	426	448	481	569	568	529	580	638	678	764	638	491	584	637	558		12941					
平均	20	13	14	15	18	18	15	14	13	14	14	16	18	19	18	19	21	23	25	21	16	19	21	18			18				
最高	62	39	61	79	54	72	51	56	50	44	36	50	59	99	90	60	100	77	67	78	78	54	74	56				100			
最低	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							1

有効測定日数 31 日  
 測定時間 739 時間  
 平均値 18 μg/m3  
 1時間値が0.20mg/m3を超えた時間数とその割合 0 時間( 0.0%)  
 1時間値が0.20mg/m3を超えた日数とその割合 0 日( 0.0%)  
 日平均値が、0.10mg/m3を超えた日数とその割合 0 日( 0.0%)  
 1時間値の最高値 100 μg/m3  
 日平均値の最高値 39 μg/m3  
 日平均値が、0.10mg/m3を超えた日が2日以上連続したことの有無 (×:有 ○:無) ○

月報

2014年01月

PAGE:10

局名：20 曾根崎 項目：12 SPM 単位：μg/m3

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低	
1 水	29	16	21	41	23	39	5	4	4	4	10	15	12	6	15	36	43	41	47	44	39	23	23	63	24	603	25	63	4	
2 木	15	12	23	12	16	16	6	25	10	12	17	13	24	4	21	16	16	50	7	3	23	8	10	3	24	362	15	50	3	
3 金	1	7	1	1	24	16	17	22	12	13	4	4	22	30	17	23	40	61	46	21	43	34	30	32	24	521	22	61	1	
4 土	28	40	17	12	25	34	24	23	6	13	69	67	23	28	11	44	71	59	61	27	24	22	15	6	24	749	31	71	6	
5 日	10	15	7	4	6	2	6	1	1	6	3	7	4	3	6	5	8	5	8	6	6	10	6	6	24	141	6	15	1	
6 月	1	22	12	1	5	1	1	1	6	6	7	12	16	12	13	21	30	44	33	50	39	12	8	5	24	358	15	50	1	
7 火	3	1	3	4	10	6	4	3	10	6	25	34	35	64	13	15	24	15	11	6	4	5	10	34	24	345	14	64	1	
8 水	10	5	24	38	59	12	17	7	13	11	17	28	34	32	11	10	12	17	21	18	6	8	6	10	24	426	18	59	5	
9 木	3	28	38	29	45	56	3	12	6	4	22	12	12	8	6	28	32	54	34	7	24	1	3	3	24	470	20	56	1	
10 金	1	1	4	1	5	8	6	11	1	13	16	15	27	39	6	7	4	4	6	6	4	7	12	18	24	222	9	39	1	
11 土	3	10	3	10	23	22	32	12	28	15	10	45	56	28	46	43	45	47	30	10	16	40	39	60	24	673	28	60	3	
12 日	56	27	46	32	25	11	10	16	39	34	10	24	33	28	34	61	90	36	97	39	39	81	63	73	24	1004	42	97	10	
13 月	33	36	17	15	17	10	6	17	5	24	36	61	36	23	30	12	17	33	7	22	13	7	6	5	24	488	20	61	5	
14 火	6	8	3	1	4	1	8	23	20	28	20	22	17	調整	8	24	5	1	12	4	6	1	24	23	23	269	12	28	1	
15 水	5	3	3	5	3	2	4	8	27	21	50	21	33	29	12	12	5	1	11	4	8	2	10	1	24	280	12	50	1	
16 木	5	3	4	12	6	3	4	4	22	8	8	22	25	12	4	6	20	28	4	22	23	33	21	12	24	311	13	33	3	
17 金	17	24	24	16	4	2	1	6	24	18	7	18	23	61	63	95	79	59	31	31	39	45	44	61	24	792	33	95	1	
18 土	82	39	56	66	17	23	7	20	39	30	72	66	74	69	57	55	52	52	60	50	28	34	46	23	24	1117	47	82	7	
19 日	11	5	6	11	12	7	4	4	32	37	29	28	10	17	30	11	13	1	4	5	5	5	17	7	24	311	13	37	1	
20 月	1	5	1	1	11	35	6	21	7	23	15	40	51	67	50	60	36	30	31	19	33	43	45	66	24	697	29	67	1	
21 火	94	50	34	23	22	13	17	32	61	20	16	30	5	18	22	5	6	30	34	1	11	24	44	28	24	640	27	94	1	
22 水	40	12	11	14	30	43	33	56	43	6	17	72	46	17	12	46	47	29	5	3	6	18	28	58	24	692	29	72	3	
23 木	18	7	24	27	21	1	7	13	23	13	7	21	33	16	54	22	39	24	44	54	49	45	23	28	24	613	26	54	1	
24 金	22	13	14	39	50	29	37	28	23	45	50	49	61	28	32	14	22	29	31	8	22	21	72	43	24	782	33	72	8	
25 土	8	1	7	7	17	22	6	1	5	3	5	11	21	13	34	35	18	28	32	47	60	6	6	11	24	404	17	60	1	
26 日	7	31	49	50	45	73	23	27	23	22	32	18	3	12	13	1	9	1	2	1	6	6	1	2	24	457	19	73	1	
27 月	6	7	5	6	22	16	29	17	6	28	23	25	46	6	3	6	6	13	11	11	2	17	34	25	24	370	15	46	2	
28 火	46	38	34	22	24	13	22	41	45	40	11	36	22	13	調整	12	11	3	1	4	1	3	1	28	23	471	20	46	1	
29 水	13	10	17	13	11	12	29	23	17	19	39	42	17	7	6	12	23	30	32	18	21	69	38	20	24	538	22	69	6	
30 木	18	15	18	3	15	45	54	35	1	10	34	55	43	25	38	11	23	34	45	56	62	50	70	50	24	810	34	70	1	
31 金	74	77	41	61	89	61	33	46	23	73	36	23	25	5	1	6	7	8	45	54	17	10	13	12	24	840	35	89	1	
時間	31	31	31	31	31	31	31	31	31	31	31	31	31	30	30	31	31	31	31	31	31	31	31	31	742					
合計	666	568	567	577	686	634	461	559	582	605	717	936	889	720	668	754	853	867	843	651	679	690	768	816		16756				
平均	21	18	18	19	22	20	15	18	19	20	23	30	29	24	22	24	28	28	27	21	22	22	25	26			23			
最高	94	77	56	66	89	73	54	56	61	73	72	72	74	69	63	95	90	61	97	56	62	81	72	73				97		
最低	1	1	1	1	3	1	1	1	1	3	3	4	3	3	1	1	4	1	1	1	1	1	1	1						1

有効測定日数 31 日  
 測定時間 742 時間  
 平均値 23 μg/m3  
 1時間値が0.20mg/m3を超えた時間数とその割合 0 時間( 0.0%)  
 1時間値が0.20mg/m3を超えた日数とその割合 0 日( 0.0%)  
 日平均値が、0.10mg/m3を超えた日数とその割合 0 日( 0.0%)  
 1時間値の最高値 97 μg/m3  
 日平均値の最高値 47 μg/m3  
 日平均値が、0.10mg/m3を超えた日が2日以上連続したことの有無 (×:有 ○:無) ○

月報

2014年02月

PAGE:11

局名：20 曾根崎 項目：12 SPM 単位：μg/m3

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低
1 土	6	35	26	23	15	12	45	41	8	11	6	7	16	79	80	66	84	43	56	81	66	72	62	78	24	1018	42	84	6
2 日	51	39	44	20	12	29	34	1	5	10	11	10	16	12	28	62	28	17	28	23	23	44	74	45	24	666	28	74	1
3 月	50	46	68	50	56	39	66	71	87	63	49	50	41	22	33	64	67	72	40	60	31	23	23	12	24	1183	49	87	12
4 火	28	22	6	10	5	5	12	16	17	21	3	1	4	12	3	20	23	1	8	3	8	27	10	6	24	271	11	28	1
5 水	7	1	1	12	1	1	12	13	6	8	8	1	1	1	1	4	10	34	21	6	1	13	16	25	24	204	9	34	1
6 木	24	4	5	1	5	1	2	7	3	18	5	3	1	5	1	4	3	6	2	4	6	3	3	12	24	128	5	24	1
7 金	1	23	34	11	4	5	5	2	3	3	3	4	5	4	4	2	7	6	1	3	7	4	6	6	24	153	6	34	1
8 土	6	13	5	5	12	5	5	8	3	21	22	4	1	4	4	4	1	1	6	13	16	39	6	6	24	210	9	39	1
9 日	11	46	15	21	13	5	16	4	7	1	3	12	7	15	6	1	6	4	16	7	12	17	38	36	24	319	13	46	1
10 月	14	5	3	4	6	10	11	20	6	2	3	3	5	3	6	調整	5	7	5	5	1	1	12	20	23	157	7	20	1
11 火	34	8	12	13	7	4	6	3	1	8	5	5	4	6	6	6	1	4	18	34	17	5	1	4	24	212	9	34	1
12 水	6	4	4	3	17	13	8	12	6	11	5	6	10	5	4	8	3	1	1	1	6	5	1	1	24	141	6	17	1
13 木	1	2	4	7	6	7	8	8	17	4	6	16	7	1	7	32	10	7	7	6	3	1	15	3	24	185	8	32	1
14 金	3	5	6	1	5	4	6	8	6	7	13	17	1	12	23	18	1	6	3	3	10	17	6	11	24	192	8	23	1
15 土	4	3	4	1	4	4	1	4	6	1	3	6	1	6	6	1	8	11	11	6	23	34	29	16	24	193	8	34	1
16 日	8	1	3	14	1	1	6	1	4	6	5	4	9	8	36	28	52	33	39	41	17	63	34	34	24	448	19	63	1
17 月	13	4	6	18	19	21	24	12	21	45	35	22	23	55	25	8	44	32	12	34	23	13	21	13	24	543	23	55	4
18 火	5	1	5	17	4	1	7	6	17	8	23	25	40	4	18	47	12	6	2	3	18	11	5	3	24	288	12	47	1
19 水	1	3	6	6	1	4	1	1	7	12	20	6	1	6	8	3	3	1	12	11	16	6	1	3	24	139	6	20	1
20 木	5	10	6	5	13	9	6	13	35	6	8	11	24	17	1	4	1	1	3	1	1	1	7	17	24	205	9	35	1
21 金	21	8	11	8	1	4	6	3	2	1	7	12	20	11	12	13	16	24	47	21	17	10	5	6	24	286	12	47	1
22 土	23	75	16	16	12	3	8	11	27	77	55	17	17	1	6	17	6	8	19	16	12	22	23	16	24	503	21	77	1
23 日	20	20	6	6	11	18	21	11	12	4	12	1	12	6	28	47	7	17	17	39	27	6	22	56	24	426	18	56	1
24 月	13	15	17	12	26	1	3	4	12	7	5	17	18	25	37	41	60	64	50	74	67	56	36	28	24	688	29	74	1
25 火	22	7	13	11	12	13	38	44	40	60	62	29	44	78	83	50	53	69	71	67	51	74	79	72	24	1142	48	83	7
26 水	35	61	35	43	55	21	54	122	72	85	72	102	49	45	43	1	12	17	8	12	1	3	12	36	24	996	42	122	1
27 木	16	6	12	6	10	6	9	20	17	39	29	6	1	4	12	1	1	4	8	6	35	21	7	39	24	315	13	39	1
28 金	39	12	34	13	16	28	21	11	30	35	41	28	25	60	19	49	84	72	50	38	17	16	29	43	24	810	34	84	11
時間	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	27	28	28	28	28	28	28	28	28	671				
合計	467	479	407	357	349	274	441	477	477	574	519	425	403	507	540	601	608	568	561	618	532	607	583	647		12021			
平均	17	17	15	13	12	10	16	17	17	21	19	15	14	18	19	22	22	20	20	22	19	22	21	23			18		
最高	51	75	68	50	56	39	66	122	87	85	72	102	49	79	83	66	84	72	71	81	67	74	79	78				122	
最低	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1					1

有効測定日数  
測定時間  
平均値  
1時間値が0.20mg/m3を超えた時間数とその割合  
1時間値が0.20mg/m3を超えた日数とその割合  
日平均値が、0.10mg/m3を超えた日数とその割合  
1時間値の最高値  
日平均値の最高値  
日平均値が、0.10mg/m3を超えた日が2日以上連続したことの有無（×：有 ○：無）

28 日  
671 時間  
18 μg/m3  
0 時間 ( 0.0%)  
0 日 ( 0.0%)  
0 日 ( 0.0%)  
122 μg/m3  
49 μg/m3  
○

月報

2014年03月

PAGE:12

局名：20 曾根崎 項目：12 SPM 単位：μg/m3

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低
1 土	63	67	61	33	32	28	56	46	55	51	54	70	83	94	89	79	56	35	32	22	20	46	56	3	24	1231	51	94	3
2 日	5	28	28	1	12	10	30	45	1	4	6	5	34	26	35	22	10	16	20	4	1	1	3	13	24	360	15	45	1
3 月	1	1	1	1	3	3	1	4	1	11	17	17	8	1	7	1	17	12	12	7	6	6	1	10	24	149	6	17	1
4 火	8	8	8	5	17	7	5	6	1	電断	調整	21	25	21	22	26	29	22	21	21	19	21	19	18	22	350	16	29	1
5 水	17	18	17	18	18	18	18	16	16	19	23	37	47	63	52	48	55	44	22	20	19	18	20	21	24	664	28	63	16
6 木	20	20	21	21	21	20	20	15	13	14	16	16	20	20	17	16	14	14	14	14	15	17	17	18	24	413	17	21	13
7 金	19	18	18	21	20	21	23	24	23	26	21	23	24	20	16	14	12	11	13	12	13	16	15	17	24	440	18	26	11
8 土	17	21	17	23	20	19	24	21	18	20	18	25	28	30	31	27	25	24	23	22	21	23	24	25	24	546	23	31	17
9 日	24	27	25	26	25	23	23	26	30	35	28	32	67	88	82	56	43	37	43	42	42	43	46	46	24	959	40	88	23
10 月	42	24	18	19	21	20	22	25	25	23	22	20	21	19	20	19	19	16	20	17	18	19	23	15	24	507	21	42	15
11 火	18	16	15	16	15	19	22	19	19	調整	調整	調整	24	21	24	27	27	23	20	21	19	22	25	21	21	433	21	27	15
12 水	23	25	20	22	24	23	25	29	27	24	21	22	21	22	23	31	32	31	27	29	23	21	21	21	24	587	24	32	20
13 木	18	19	20	16	16	14	11	14	15	19	8	9	9	10	10	15	14	15	12	15	12	17	19	14	24	341	14	20	8
14 金	14	14	12	16	14	15	17	22	28	30	30	21	26	22	20	22	19	19	22	23	26	31	31	28	24	522	22	31	12
15 土	27	32	31	28	34	38	31	32	32	38	34	37	37	36	40	39	36	41	35	43	45	40	37	38	24	861	36	45	27
16 日	36	37	35	36	36	37	39	39	43	47	47	46	45	45	47	47	48	50	52	52	53	51	54	53	24	1075	45	54	35
17 月	49	58	48	52	47	49	50	50	50	52	51	38	37	33	35	31	26	21	18	22	21	25	29	27	24	919	38	58	18
18 火	17	20	20	22	26	33	33	32	24	26	32	33	32	29	43	60	71	70	65	54	52	63	51	53	24	961	40	71	17
19 水	49	48	61	64	57	54	63	75	79	81	79	84	87	79	89	80	76	75	69	58	52	52	62	61	24	1634	68	89	48
20 木	48	42	42	41	37	33	32	31	30	34	34	34	34	27	30	39	34	23	30	31	30	21	9	14	24	760	32	48	9
21 金	11	8	7	8	13	18	25	23	20	19	16	19	18	20	21	21	24	22	22	21	21	23	23	25	24	448	19	25	7
22 土	27	24	21	22	24	21	21	19	22	25	29	27	28	31	35	33	26	22	25	23	29	32	34	25	24	625	26	35	19
23 日	27	23	23	24	23	24	26	26	28	30	29	33	39	39	39	39	51	52	45	54	52	48	39	37	24	850	35	54	23
24 月	40	42	39	43	45	42	41	35	36	44	51	50	52	48	49	46	41	38	36	39	42	42	40	41	24	1022	43	52	35
25 火	37	35	35	42	42	43	42	38	43	46	調整	調整	51	48	43	45	50	50	50	48	43	40	44	26	22	941	43	51	26
26 水	22	24	23	26	26	25	23	21	17	21	20	19	21	25	27	28	30	32	35	29	36	34	31	34	24	629	26	36	17
27 木	37	40	43	20	13	14	17	18	17	12	14	16	20	22	21	28	20	16	14	14	16	17	18	19	24	486	20	43	12
28 金	21	27	26	26	29	31	32	32	34	37	39	40	46	45	46	47	47	51	55	45	43	43	45	43	24	930	39	55	21
29 土	36	35	36	35	41	38	37	47	40	30	28	24	28	22	22	19	16	14	16	16	12	8	11	13	24	624	26	47	8
30 日	14	10	4	7	10	5	8	7	5	8	11	12	11	13	19	28	38	45	47	45	41	39	37	37	24	501	21	47	4
31 月	34	32	32	31	32	32	33	32	34	29	23	19	21	23	22	21	22	27	20	22	19	21	19	18	24	618	26	34	18
時間	31	31	31	31	31	31	31	31	31	29	28	29	31	31	31	31	31	31	31	31	31	31	31	31	737				
合計	821	843	807	765	793	777	850	869	826	855	801	849	1044	1042	1076	1054	1028	968	935	885	861	900	903	834		21386			
平均	26	27	26	25	26	25	27	28	27	29	29	29	34	34	35	34	33	31	30	29	28	29	29	27			29		
最高	63	67	61	64	57	54	63	75	79	81	79	84	87	94	89	80	76	75	69	58	53	63	62	61				94	
最低	1	1	1	1	3	3	1	4	1	4	6	5	8	1	7	1	10	11	12	4	1	1	1	3					1

有効測定日数 31 日  
 測定時間 737 時間  
 平均値 29 μg/m3  
 1時間値が0.20mg/m3を超えた時間数とその割合 0 時間( 0.0%)  
 1時間値が0.20mg/m3を超えた日数とその割合 0 日( 0.0%)  
 日平均値が、0.10mg/m3を超えた日数とその割合 0 日( 0.0%)  
 1時間値の最高値 94 μg/m3  
 日平均値の最高値 68 μg/m3  
 日平均値が、0.10mg/m3を超えた日が2日以上連続したことの有無 (×:有 ○:無) ○

月報

2013年04月

PAGE:13

局名: 20 曾根崎 項目: 5 NO 単位: ppb

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低
1 月	3	3	4	2	4	11	29	16	9	10	11	44	41	31	30	27	41	37	62	45	12	55	75	51	24	653	27	75	2
2 火	113	63	68	56	65	42	181	85	95	46	65	48	129	112	72	85	82	48	52	58	45	79	44	33	24	1766	74	181	33
3 水	46	63	30	72	133	145	182	96	73	85	38	24	10	11	41	41	43	34	36	25	57	28	111	46	24	1470	61	182	10
4 木	140	29	86	50	17	38	20	52	20	13	11	13	37	51	11	11	11	22	25	20	9	55	66	116	24	923	38	140	9
5 金	68	36	83	64	80	265	111	55	21	12	49	19	59	62	40	11	26	20	27	11	11	48	41	3	24	1222	51	265	3
6 土	3	2	2	3	14	33	12	4	10	17	34	9	5	51	43	42	43	30	11	26	14	43	15	9	24	475	20	51	2
7 日	12	8	7	12	15	14	11	16	31	22	18	20	27	24	22	16	19	12	18	18	23	21	21	28	24	435	18	31	7
8 月	34	31	64	104	195	215	206	47	81	63	57	63	36	39	34	39	39	25	46	64	83	50	106	78	24	1799	75	215	25
9 火	80	66	88	118	139	173	226	150	105	68	74	65	36	調整	46	45	36	30	50	45	51	92	69	66	23	1918	83	226	30
10 水	62	107	88	84	154	128	167	97	87	76	40	35	30	32	30	34	32	36	46	46	55	32	42	26	24	1566	65	167	26
11 木	39	39	72	90	164	176	191	145	53	70	81	35	59	76	61	75	82	56	51	72	108	134	81	53	24	2063	86	191	35
12 金	38	58	54	88	113	127	213	120	65	61	73	69	42	62	49	53	47	31	34	37	45	66	81	62	24	1688	70	213	31
13 土	68	38	87	130	82	98	28	19	24	66	47	38	32	27	28	26	21	14	14	14	16	15	14	12	24	958	40	130	12
14 日	10	10	7	8	9	7	16	20	15	9	17	10	5	4	4	4	5	5	10	6	15	29	8	5	24	238	10	29	4
15 月	11	6	25	45	96	226	254	153	76	65	55	49	46	35	30	43	41	40	35	19	22	30	39	26	24	1467	61	254	6
16 火	21	27	40	54	70	66	67	62	50	36	41	23	20	18	18	21	17	15	17	13	23	31	32	39	24	821	34	70	13
17 水	20	26	39	41	125	163	21	20	7	34	7	33	43	27	17	17	22	10	8	5	6	5	7	4	24	707	29	163	4
18 木	5	21	24	59	140	65	33	35	48	43	64	80	31	38	40	39	9	6	7	10	10	4	6	5	24	822	34	140	4
19 金	13	6	7	10	2	2	4	5	6	6	7	6	5	5	6	6	18	16	8	5	8	4	4	3	24	162	7	18	2
20 土	5	9	5	6	8	5	27	17	8	23	15	14	10	24	18	15	11	9	6	5	4	3	3	3	24	253	11	27	3
21 日	3	3	2	3	2	3	16	34	9	7	6	9	6	9	7	7	4	2	2	2	21	14	8	18	24	197	8	34	2
22 月	16	13	20	84	25	33	19	21	22	26	8	13	30	調整	16	24	17	21	14	3	4	6	22	8	23	465	20	84	3
23 火	24	26	40	64	93	103	109	23	45	36	163	146	100	67	18	47	37	35	48	35	21	33	26	21	24	1360	57	163	18
24 水	12	22	22	21	48	105	73	84	95	125	102	62	28	31	28	31	40	35	30	41	35	71	73	73	24	1287	54	125	12
25 木	103	131	116	134	224	235	128	160	72	60	54	39	35	32	26	30	28	24	27	36	48	76	31	28	24	1877	78	235	24
26 金	34	29	60	84	141	118	156	58	48	50	64	64	54	49	41	39	47	40	44	43	44	31	30	33	24	1401	58	156	29
27 土	48	40	73	79	104	79	71	13	23	37	45	36	23	29	28	28	43	25	24	31	14	11	5	5	24	914	38	104	5
28 日	5	23	28	37	11	18	16	8	4	4	8	7	5	8	8	9	7	8	8	16	11	27	25	4	24	305	13	37	4
29 月	8	8	8	7	26	16	16	5	25	13	10	7	6	8	8	7	5	3	4	5	8	10	10	7	24	230	10	26	3
30 火	11	14	15	34	22	4	4	13	5	11	5	7	22	28	82	66	53	51	66	44	6	5	15	86	24	669	28	86	4
時間	30	30	30	30	30	30	30	30	30	30	30	30	30	28	30	30	30	30	30	30	30	30	30	30	718				
合計	1055	957	1264	1643	2321	2713	2607	1633	1232	1194	1269	1087	1012	990	902	938	926	740	830	800	829	1108	1110	951		30111			
平均	35	32	42	55	77	90	87	54	41	40	42	36	34	35	30	31	31	25	28	27	28	37	37	32			42		
最高	140	131	116	134	224	265	254	160	105	125	163	146	129	112	82	85	82	56	66	72	108	134	111	116				265	
最低	3	2	2	2	2	2	4	4	4	4	5	6	5	4	4	4	4	2	2	2	4	3	3	3					2

有効測定日数

30 日

日平均値の最高値

86 ppb

月報

2013年05月

PAGE: 14

局名: 20 曾根崎 項目: 5 NO 単位: ppb

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低	
1 水	59	21	38	87	44	102	52	12	12	9	14	33	26	32	34	31	40	30	14	9	12	8	9	7	24	735	31	102	7	
2 木	7	20	18	26	38	51	39	13	8	7	6	5	24	15	32	37	26	21	11	8	4	5	5	5	24	431	18	51	4	
3 金	20	29	9	46	13	25	15	18	15	19	19	11	11	14	16	9	8	8	4	4	5	19	7	14	24	358	15	46	4	
4 土	15	5	7	12	30	60	27	22	5	6	11	12	6	11	12	10	6	4	5	3	3	1	2	2	24	277	12	60	1	
5 日	2	1	1	20	4	5	2	3	8	2	5	4	3	4	4	4	2	2	4	4	14	23	21	16	24	158	7	23	1	
6 月	23	8	10	3	10	10	6	15	15	10	6	6	8	5	9	6	7	5	8	8	25	35	56	52	24	346	14	56	3	
7 火	13	5	11	3	2	3	4	7	7	11	6	7	調整	24	28	24	35	23	16	5	3	3	7	5	23	252	11	35	2	
8 水	5	6	8	12	70	59	18	13	8	9	32	24	46	50	46	39	58	31	42	52	19	17	51	30	24	745	31	70	5	
9 木	48	39	80	46	26	46	17	12	16	46	65	45	43	31	49	40	45	39	41	33	25	34	57	37	24	960	40	80	12	
10 金	56	49	42	46	69	51	76	60	55	94	86	74	45	35	41	77	58	68	48	31	30	39	32	34	24	1296	54	94	30	
11 土	23	17	32	36	2	90	39	21	124	135	137	87	40	29	34	16	17	24	7	8	52	16	15	50	24	1051	44	137	2	
12 日	33	17	57	25	14	8	5	15	27	12	13	9	9	7	9	5	6	7	7	16	33	39	50	30	24	453	19	57	5	
13 月	15	18	19	13	14	28	17	7	31	19	20	39	13	19	13	19	8	9	16	6	15	10	40	31	24	439	18	40	6	
14 火	79	47	22	9	64	28	9	18	26	63	52	66	37	48	38	15	18	22	9	4	6	52	99	48	24	879	37	99	4	
15 水	41	70	74	35	43	148	32	22	21	44	65	70	61	41	47	54	45	23	12	12	4	9	6	6	24	985	41	148	4	
16 木	6	8	3	4	9	7	7	15	11	12	11	18	16	24	25	22	19	13	10	6	4	3	3	2	24	258	11	25	2	
17 金	2	2	2	2	2	5	6	5	6	9	12	8	11	7	18	7	4	4	5	4	5	9	14	46	24	195	8	46	2	
18 土	68	59	66	15	25	27	8	17	12	9	22	30	25	30	25	36	38	16	5	4	17	6	10	3	24	573	24	68	3	
19 日	3	2	8	16	14	9	22	20	26	19	35	45	38	37	63	39	19	17	16	15	20	37	32	7	24	559	23	63	2	
20 月	3	17	33	3	7	5	6	26	33	71	41	58	32	34	37	36	34	25	29	22	29	36	37	41	24	695	29	71	3	
21 火	33	22	35	52	104	132	45	67	83	77	55	61	38	39	17	20	18	7	4	4	5	21	17	36	24	992	41	132	4	
22 水	64	57	79	14	50	110	86	10	8	9	22	29	17	24	29	調整	調整	7	8	4	13	69	63	6	22	778	35	110	4	
23 木	23	6	5	36	37	25	32	10	5	8	9	13	19	14	13	28	28	17	13	3	2	3	3	2	24	354	15	37	2	
24 金	3	14	19	29	77	71	80	8	4	6	14	31	13	16	22	21	19	10	5	3	3	4	12	22	24	506	21	80	3	
25 土	12	12	6	8	7	8	7	5	25	40	36	36	11	15	11	15	11	5	5	7	4	22	16	23	24	347	14	40	4	
26 日	13	13	8	12	38	7	3	3	2	8	26	8	11	10	5	10	5	6	2	2	4	2	2	2	24	202	8	38	2	
27 月	4	10	36	16	57	83	7	3	2	5	19	23	14	37	3	4	3	2	2	3	3	5	7	9	24	357	15	83	2	
28 火	24	26	24	123	148	146	173	51	51	107	153	163	152	134	109	101	61	121	104	87	73	45	30	41	24	2247	94	173	24	
29 水	40	29	31	35	67	89	74	61	39	42	49	45	28	43	52	48	53	46	23	20	27	26	28	26	24	1021	43	89	20	
30 木	20	23	47	46	117	49	88	16	23	36	49	27	30	33	13	49	67	19	26	9	8	7	5	6	24	813	34	117	5	
31 金	6	5	9	17	31	24	32	11	9	18	14	15	13	16	9	8	11	7	8	7	4	18	46	40	24	378	16	46	4	
時間	31	31	31	31	31	31	31	31	31	31	31	31	30	31	31	30	30	31	31	31	31	31	31	31	741					
合計	763	657	839	847	1233	1511	1034	586	717	962	1104	1102	840	878	863	830	769	638	509	403	471	623	782	679	19640					
平均	25	21	27	27	40	49	33	19	23	31	36	36	28	28	28	28	26	21	16	13	15	20	25	22		27				
最高	79	70	80	123	148	148	173	67	124	135	153	163	152	134	109	101	67	121	104	87	73	69	99	52			173			
最低	2	1	1	2	2	3	2	3	2	2	5	4	3	4	3	4	2	2	2	2	2	1	2	2						1

有効測定日数

31 日

日平均値の最高値

94 ppb

月報

2013年06月

PAGE: 15

局名: 20 曾根崎 項目: 5 NO 単位: ppb

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低		
1 土	109	15	11	18	15	28	16	25	25	113	56	94	27	35	22	15	15	12	14	12	4	8	6	2	24	697	29	113	2		
2 日	5	5	4	6	3	3	4	4	9	3	4	3	3	4	3	4	3	4	4	2	3	2	3	3	24	91	4	9	2		
3 月	6	6	2	2	2	3	5	5	6	7	11	9	11	10	10	11	7	9	20	10	5	10	22	34	24	223	9	34	2		
4 火	31	88	42	35	75	54	23	29	11	12	28	22	17	34	29	25	28	調整	18	8	9	28	56	23	23	725	32	88	8		
5 水	47	10	10	21	8	15	11	19	21	12	4	3	2	22	24	45	56	50	15	4	4	3	8	5	24	419	17	56	2		
6 木	10	8	20	11	20	28	26	40	22	12	14	9	19	11	12	7	7	17	20	9	3	3	3	3	24	334	14	40	3		
7 金	4	3	2	2	2	4	85	7	9	9	13	26	23	28	38	32	27	14	6	5	5	4	4	3	24	355	15	85	2		
8 土	4	4	7	55	19	86	24	13	44	57	62	59	49	38	49	65	59	46	8	14	29	13	15	55	24	874	36	86	4		
9 日	31	6	29	21	5	2	4	21	22	12	4	2	3	3	4	9	4	4	3	4	4	4	7	12	24	220	9	31	2		
10 月	6	5	9	7	13	12	9	8	17	19	14	5	4	6	6	7	8	5	6	4	4	4	4	6	24	188	8	19	4		
11 火	10	12	8	11	14	6	16	23	22	28	24	14	17	12	18	12	16	7	4	4	2	4	34	17	24	335	14	34	2		
12 水	33	53	24	15	26	15	15	8	108	141	88	58	67	70	16	28	18	32	19	8	10	26	12	20	24	910	38	141	8		
13 木	38	31	122	116	113	55	64	33	28	36	22	73	84	88	80	35	28	22	8	8	5	13	3	7	24	1112	46	122	3		
14 金	12	16	18	56	217	181	65	18	19	32	46	35	42	25	32	25	17	14	7	8	6	5	9	41	24	946	39	217	5		
15 土	66	17	29	103	47	128	148	19	12	15	65	84	49	43	44	61	44	55	29	26	27	27	30	26	24	1194	50	148	12		
16 日	17	20	4	29	39	9	29	32	47	14	14	20	20	19	6	14	8	4	9	8	5	6	5	14	24	392	16	47	4		
17 月	25	44	53	68	134	117	169	76	47	68	56	調整	34	40	39	34	31	32	22	26	26	29	29	33	23	1232	54	169	22		
18 火	22	26	31	53	81	104	91	50	55	52	39	44	37	39	40	38	32	23	18	13	16	15	12	9	24	940	39	104	9		
19 水	9	8	10	18	29	47	38	42	33	48	52	49	26	32	43	52	45	28	27	22	23	35	31	28	24	775	32	52	8		
20 木	28	31	35	43	69	76	125	79	67	98	87	85	108	35	18	19	16	9	20	7	2	7	9	11	24	1084	45	125	2		
21 金	3	3	4	6	10	2	65	45	22	12	9	8	7	7	8	7	5	4	3	4	11	7	10	25	24	287	12	65	2		
22 土	67	16	99	34	157	222	109	16	17	35	61	86	50	49	42	48	47	26	33	11	6	9	9	7	24	1256	52	222	6		
23 日	8	18	14	6	4	15	22	14	5	16	39	36	27	24	24	34	25	4	2	6	17	8	23	25	24	416	17	39	2		
24 月	45	5	3	3	2	4	14	15	16	23	16	15	10	14	16	62	14	21	25	18	8	15	97	46	24	507	21	97	2		
25 火	27	8	11	7	17	11	27	26	12	15	11	22	27	47	64	68	61	44	65	34	12	58	61	9	24	744	31	68	7		
26 水	5	11	54	90	140	141	187	80	75	68	105	80	47	39	31	28	31	21	21	10	7	6	8	6	24	1291	54	187	5		
27 木	4	8	9	4	6	17	19	36	16	49	18	18	7	11	19	30	36	13	8	6	5	10	7	9	24	365	15	49	4		
28 金	17	16	15	9	15	28	36	19	17	10	5	9	3	23	11	58	73	61	8	3	3	2	2	2	24	445	19	73	2		
29 土	3	2	4	7	11	6	26	6	8	9	9	5	4	4	3	3	3	3	3	3	21	5	11	18	24	177	7	26	2		
30 日	17	16	20	18	34	12	29	13	28	34	5	5	2	5	7	2	1	2	2	3	21	12	17	41	24	346	14	41	1		
時間	30	30	30	30	30	30	30	30	30	30	30	29	30	30	30	30	30	29	30	30	30	30	30	30	718						
合計	709	511	703	874	1327	1431	1501	821	840	1059	981	978	826	817	758	878	765	586	447	300	303	378	547	540		18880					
平均	24	17	23	29	44	48	50	27	28	35	33	34	28	27	25	29	26	20	15	10	10	13	18	18			26				
最高	109	88	122	116	217	222	187	80	108	141	105	94	108	88	80	68	73	61	65	34	29	58	97	55				222			
最低	3	2	2	2	2	2	4	4	5	3	4	2	2	3	3	2	1	2	2	2	2	2	2	2							1

有効測定日数  
日平均値の最高値

30 日  
54 ppb

月報

2013年07月

PAGE: 16

局名: 20 曾根崎 項目: 5 NO 単位: ppb

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低
1 月	39	83	26	32	48	38	79	98	79	116	105	20	12	23	18	51	67	94	68	70	69	84	63	48	24	1430	60	116	12
2 火	74	49	50	41	98	158	137	87	74	89	70	45	調整	30	33	33	33	22	20	17	23	23	18	18	23	1242	54	158	17
3 水	15	13	13	18	38	45	43	37	35	42	38	34	34	72	87	90	68	49	41	25	27	27	24	20	24	935	39	90	13
4 木	22	12	16	28	40	65	67	34	39	49	55	56	47	37	41	45	42	43	35	26	21	16	13	12	24	861	36	67	12
5 金	15	12	10	12	15	22	28	17	22	33	30	28	23	25	24	22	22	20	17	14	17	17	11	10	24	466	19	33	10
6 土	12	10	10	10	13	20	22	25	36	78	82	98	56	54	50	39	46	34	21	14	20	16	12	8	24	786	33	98	8
7 日	9	7	7	9	9	9	11	12	13	17	12	14	10	10	8	10	11	10	9	13	15	21	22	25	24	293	12	25	7
8 月	16	19	42	87	130	120	90	47	38	49	47	47	37	31	30	41	39	38	35	37	58	41	27	19	24	1165	49	130	16
9 火	32	39	51	45	98	183	164	121	59	52	50	53	46	46	44	39	46	42	32	34	40	52	38	39	24	1445	60	183	32
10 水	80	71	72	71	92	149	151	114	63	64	55	48	35	41	47	39	39	32	27	42	58	53	61	54	24	1558	65	151	27
11 木	64	71	86	107	149	184	143	76	56	69	79	58	42	58	53	60	49	52	36	22	10	17	39	49	24	1629	68	184	10
12 金	58	51	80	106	154	126	136	61	54	57	66	50	41	48	43	37	42	33	38	30	32	34	28	33	24	1438	60	154	28
13 土	33	35	46	54	76	83	83	46	41	37	37	35	31	31	30	34	35	37	28	33	24	20	23	17	24	949	40	83	17
14 日	16	14	14	13	28	13	18	18	20	15	16	15	10	15	11	17	12	15	15	19	18	32	19	21	24	404	17	32	10
15 月	14	19	15	21	38	30	37	36	27	25	29	24	19	19	24	22	22	30	25	19	24	31	43	61	24	654	27	61	14
16 火	83	61	48	88	65	56	25	20	55	61	58	52	43	47	51	48	47	46	調整	35	28	37	37	36	23	1127	49	88	20
17 水	39	46	91	108	142	135	31	52	62	66	61	61	51	57	57	58	45	44	43	38	69	68	36	35	24	1495	62	142	31
18 木	41	65	53	53	132	163	136	84	64	70	67	62	68	90	87	76	131	34	12	23	72	115	108	65	24	1871	78	163	12
19 金	78	91	92	103	221	141	56	43	35	20	25	18	42	42	31	53	31	35	21	18	6	10	9	22	24	1243	52	221	6
20 土	46	55	28	37	82	35	27	22	16	29	65	50	41	30	34	42	39	37	39	31	35	38	47	12	24	917	38	82	12
21 日	22	36	32	13	14	31	25	42	32	29	19	17	18	21	23	21	17	16	16	13	17	29	32	43	24	578	24	43	13
22 月	25	40	50	49	47	59	47	83	57	81	83	52	42	37	45	56	49	47	42	33	47	40	41	42	24	1194	50	83	25
23 火	33	77	65	60	113	165	120	79	65	66	60	58	43	41	46	45	49	43	38	29	20	23	25	20	24	1383	58	165	20
24 水	30	25	27	27	70	59	53	38	39	51	49	40	30	33	34	32	35	37	27	28	24	26	22	25	24	861	36	70	22
25 木	37	37	23	29	48	83	63	26	25	29	25	31	22	23	19	31	25	29	23	19	12	23	23	15	24	720	30	83	12
26 金	18	32	42	36	65	70	78	70	51	67	79	66	50	54	42	38	41	42	26	45	38	24	15	14	24	1103	46	79	14
27 土	29	33	36	27	44	79	89	57	40	41	28	31	30	42	24	20	5	4	5	10	19	14	13	12	24	732	31	89	4
28 日	10	10	9	10	12	10	16	18	16	13	13	12	9	10	10	10	13	11	12	13	9	11	12	16	24	285	12	18	9
29 月	12	14	14	21	32	37	51	38	35	43	35	102	58	53	調整	41	40	38	35	16	20	27	26	21	23	809	35	102	12
30 火	17	17	23	28	51	63	82	58	50	45	53	73	83	72	47	40	38	50	39	35	26	26	21	22	24	1059	44	83	17
31 水	25	26	20	23	45	63	82	60	43	44	50	42	34	31	33	27	23	22	17	21	17	21	28	23	24	820	34	82	17
時間	31	31	31	31	31	31	31	31	31	31	31	31	30	31	30	31	31	31	30	31	31	31	31	31	741				
合計	1044	1170	1191	1366	2209	2494	2190	1619	1341	1547	1541	1392	1107	1223	1126	1217	1201	1086	842	822	915	1016	936	857		31452			
平均	34	38	38	44	71	80	71	52	43	50	50	45	37	39	38	39	39	35	28	27	30	33	30	28			42		
最高	83	91	92	108	221	184	164	121	79	116	105	102	83	90	87	90	131	94	68	70	72	115	108	65				221	
最低	9	7	7	9	9	9	11	12	13	13	12	12	9	10	8	10	5	4	5	10	6	10	9	8					4

有効測定日数  
日平均値の最高値

31 日  
78 ppb



月報

2013年09月

PAGE: 18

局名: 20 曾根崎 項目: 5 NO 単位: ppb

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低	
1 日	41	29	50	8	11	5	12	12	15	3	24	13	4	3	10	30	54	38	51	56	24	27	30	22	24	572	24	56	3	
2 月	47	19	17	44	116	37	24	8	11	14	18	14	12	18	82	29	21	14	56	43	75	27	80	32	24	858	36	116	8	
3 火	37	27	37	18	39	142	30	8	7	8	20	36	7	18	8	9	9	9	7	5	2	5	2	3	24	493	21	142	2	
4 水	2	1	1	1	3	7	14	8	49	17	7	6	5	12	5	6	5	3	3	4	2	2	1	1	24	165	7	49	1	
5 木	7	21	23	19	130	37	209	42	25	8	8	6	5	5	7	26	49	28	32	8	5	9	11	11	24	731	30	209	5	
6 金	19	9	13	4	27	39	56	42	16	7	11	21	9	7	18	8	7	6	7	5	3	5	6	9	24	354	15	56	3	
7 土	10	4	4	2	11	30	10	14	25	25	28	71	22	30	24	17	20	24	13	30	56	45	38	17	24	570	24	71	2	
8 日	47	29	13	13	22	10	16	7	6	5	7	5	9	8	11	9	10	8	8	4	2	3	2	4	24	258	11	47	2	
9 月	4	2	3	1	1	3	6	15	18	15	16	15	14	25	30	38	41	37	34	17	19	5	5	7	24	371	15	41	1	
10 火	12	6	6	9	34	28	56	25	15	13	18	30	22	13	26	28	36	29	22	15	13	12	10	38	24	516	22	56	6	
11 水	74	62	114	102	63	136	137	66	82	81	76	59	43	62	50	54	52	55	調整	5	6	11	12	8	23	1410	61	137	5	
12 木	14	18	19	9	39	59	59	43	29	15	83	84	52	65	61	44	26	15	14	6	8	14	16	21	24	813	34	84	6	
13 金	77	58	118	118	153	74	112	44	22	53	93	57	34	46	59	61	66	26	18	27	14	8	32	12	24	1382	58	153	8	
14 土	12	7	6	12	20	15	24	20	19	14	30	13	26	13	23	29	23	12	20	3	3	4	6	5	24	359	15	30	3	
15 日	12	6	3	4	2	3	2	3	3	2	2	5	7	3	2	2	2	2	2	2	1	1	1	3	24	75	3	12	1	
16 月	3	3	3	2	3	4	6	10	6	4	8	5	4	6	3	5	3	3	3	4	3	1	2	2	24	96	4	10	1	
17 火	2	3	7	3	11	16	39	9	5	11	14	12	7	6	5	6	6	5	8	9	11	19	19	10	24	243	10	39	2	
18 水	44	15	4	52	13	22	36	17	19	16	20	8	10	7	7	6	6	5	12	10	3	6	5	9	24	352	15	52	3	
19 木	25	15	3	22	18	16	72	37	13	9	11	13	12	3	6	29	7	6	5	4	8	12	35	4	24	385	16	72	3	
20 金	16	25	14	27	40	50	45	25	23	6	16	29	12	17	31	41	19	13	12	6	4	5	6	10	24	492	21	50	4	
21 土	28	16	12	11	9	50	44	17	8	5	9	14	7	14	13	13	17	4	8	2	5	4	3	2	24	315	13	50	2	
22 日	2	2	4	7	7	4	8	4	5	7	5	6	6	4	6	2	1	1	2	2	3	2	2	3	24	95	4	8	1	
23 月	3	3	2	3	4	3	4	3	6	3	5	9	12	5	6	4	3	2	6	4	4	3	3	8	24	108	5	12	2	
24 火	25	53	22	20	15	20	22	25	21	11	12	23	調整	26	21	31	27	15	17	7	7	6	5	3	23	434	19	53	3	
25 水	4	8	22	8	21	23	18	23	19	25	33	31	32	20	37	22	7	7	12	11	10	8	5	4	24	410	17	37	4	
26 木	4	3	4	4	7	4	6	8	6	7	12	18	21	20	21	15	18	12	9	6	3	4	3	4	24	219	9	21	3	
27 金	4	3	3	7	29	10	35	17	7	5	3	9	11	12	14	12	7	5	8	5	14	12	17	10	24	259	11	35	3	
28 土	7	16	10	8	33	17	37	11	19	9	16	10	30	14	5	3	5	4	4	4	3	3	3	2	24	273	11	37	2	
29 日	2	3	5	9	6	14	50	15	41	4	35	16	22	31	9	11	47	69	17	44	24	23	14	12	24	523	22	69	2	
30 月	17	42	20	36	8	6	9	23	27	33	112	36	16	32	40	121	32	100	70	22	27	23	27	24	24	903	38	121	6	
時間	30	30	30	30	30	30	30	30	30	30	30	30	29	30	30	30	30	30	29	30	30	30	30	30	718					
合計	601	508	562	583	895	884	1198	601	567	435	752	674	473	545	640	711	626	557	480	370	362	309	401	300	14034					
平均	20	17	19	19	30	29	40	20	19	15	25	22	16	18	21	24	21	19	17	12	12	10	13	10	20					
最高	77	62	118	118	153	142	209	66	82	81	112	84	52	65	82	121	66	100	70	56	75	45	80	38	209					
最低	2	1	1	1	1	3	2	3	3	2	2	5	4	3	2	2	1	1	2	2	1	1	1	1	1					

有効測定日数  
日平均値の最高値

30 日  
61 ppb

月報

2013年10月

PAGE:19

局名: 20 曾根崎 項目: 5 NO 単位: ppb

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低	
1 火	37	43	46	20	15	11	16	31	24	19	16	12	8	23	38	43	44	24	18	9	4	4	6	5	24	516	22	46	4	
2 水	6	6	10	10	24	32	39	19	25	15	22	68	57	50	42	21	22	23	26	9	7	7	16	5	24	561	23	68	5	
3 木	2	3	5	7	24	21	34	35	16	5	7	5	8	14	7	5	6	15	9	7	4	4	4	11	24	258	11	35	2	
4 金	4	6	4	7	7	6	9	13	15	15	12	8	5	7	4	4	5	6	5	3	3	2	5	6	24	161	7	15	2	
5 土	2	3	2	6	7	7	4	9	11	10	9	8	8	17	18	27	18	30	44	11	4	6	4	5	24	270	11	44	2	
6 日	5	4	8	3	5	4	4	4	3	2	4	2	2	2	3	2	2	2	2	2	2	3	4	12	24	86	4	12	2	
7 月	6	4	3	11	23	22	16	14	11	12	11	22	14	18	13	10	8	10	11	9	8	6	8	21	24	291	12	23	3	
8 火	10	13	13	10	86	36	42	43	30	50	25	19	18	22	調整	24	101	13	15	8	13	8	9	11	23	619	27	101	8	
9 水	14	19	44	43	5	24	123	57	37	19	31	20	28	12	11	51	38	18	6	7	5	10	11	18	24	651	27	123	5	
10 木	37	22	18	24	37	42	51	36	84	103	110	89	69	58	48	68	66	80	93	70	83	98	74	58	24	1518	63	110	18	
11 金	67	36	28	53	87	75	71	67	85	123	90	74	59	47	46	42	45	59	80	76	83	69	53	75	24	1590	66	123	28	
12 土	81	69	69	99	127	81	226	100	47	48	30	24	18	20	25	22	16	4	5	4	3	2	2	5	24	1127	47	226	2	
13 日	3	9	8	4	12	13	15	10	5	2	3	2	2	3	3	2	3	3	3	4	6	4	5	4	24	128	5	15	2	
14 月	4	6	9	5	24	32	6	7	3	3	3	6	7	5	7	3	3	3	4	12	8	4	50	16	24	230	10	50	3	
15 火	52	26	8	13	11	6	5	4	8	4	5	7	5	3	4	5	4	6	6	9	6	5	6	4	24	212	9	52	3	
16 水	4	4	5	4	13	12	25	24	25	29	31	27	19	7	7	11	13	7	7	3	3	2	4	3	24	289	12	31	2	
17 木	4	4	23	11	4	4	20	21	17	13	7	9	8	6	6	6	6	8	11	9	8	7	4	13	24	229	10	23	4	
18 金	13	9	17	17	27	59	72	61	30	15	12	11	12	6	14	10	6	5	5	4	5	4	14	10	24	438	18	72	4	
19 土	8	17	6	33	12	11	31	18	30	23	16	10	7	3	2	8	6	8	5	2	4	3	2	1	24	266	11	33	1	
20 日	3	3	2	2	5	2	2	3	3	2	3	3	2	3	4	14	13	8	7	6	5	5	7	4	24	111	5	14	2	
21 月	7	9	4	4	18	13	48	29	9	10	6	8	10	26	31	29	32	27	16	10	8	8	4	3	24	369	15	48	3	
22 火	3	3	3	2	7	8	13	18	13	11	19	9	調整	14	11	7	12	8	7	5	4	5	3	3	23	188	8	19	2	
23 水	4	4	3	4	3	3	5	19	22	16	19	13	9	13	11	12	14	12	18	19	22	32	15	38	24	330	14	38	3	
24 木	14	5	15	3	6	27	10	23	32	42	32	34	37	29	34	26	37	56	18	11	12	6	8	3	24	520	22	56	3	
25 金	3	2	2	2	3	6	11	10	11	14	9	8	7	11	10	12	7	9	6	4	4	3	5	4	24	163	7	14	2	
26 土	4	2	2	5	4	3	3	8	20	22	15	30	30	23	22	24	10	9	92	78	12	8	7	17	24	450	19	92	2	
27 日	7	19	50	25	5	12	58	14	27	14	13	7	4	3	2	2	2	5	7	4	13	12	15	15	24	335	14	58	2	
28 月	20	9	21	17	21	34	47	21	27	19	19	37	11	18	45	59	47	34	9	13	7	22	20	9	24	586	24	59	7	
29 火	26	37	25	40	33	62	116	63	32	39	43	80	70	61	48	20	41	57	39	73	131	65	29	11	24	1241	52	131	11	
30 水	14	36	34	67	33	39	62	30	34	25	39	40	37	48	38	46	46	14	11	11	11	10	13	23	24	761	32	67	10	
31 木	13	25	15	30	25	29	16	32	21	14	9	30	17	14	20	9	10	13	15	13	15	14	13	9	24	421	18	32	9	
時間	31	31	31	31	31	31	31	31	31	31	31	31	30	31	30	31	31	31	31	31	31	31	31	31	742					
合計	477	457	502	581	713	736	1200	843	757	738	670	722	588	586	574	624	683	576	600	505	503	438	420	422		14915				
平均	15	15	16	19	23	24	39	27	24	24	22	23	20	19	19	20	22	19	19	16	16	14	14	14			20			
最高	81	69	69	99	127	81	226	100	85	123	110	89	70	61	48	68	101	80	93	78	131	98	74	75			226			
最低	2	2	2	2	3	2	2	3	3	2	3	2	2	2	2	2	2	2	2	2	2	2	2	1						1

有効測定日数  
日平均値の最高値

31 日  
66 ppb







月報

2014年02月

PAGE:23

局名: 20 曾根崎 項目: 5 NO 単位: ppb

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低		
1 土	60	86	108	88	172	98	226	386	123	72	53	51	67	38	48	62	84	73	106	109	63	66	24	23	24	2286	95	386	23		
2 日	38	29	33	20	8	18	36	31	38	43	43	25	24	16	14	11	12	20	18	8	18	27	25	19	24	574	24	43	8		
3 月	32	28	43	75	93	99	108	78	108	120	103	83	13	10	47	56	39	62	44	14	42	52	21	25	24	1395	58	120	10		
4 火	13	8	19	37	76	79	73	56	83	75	79	71	70	56	65	69	69	67	83	56	31	5	4	6	24	1250	52	83	4		
5 水	29	49	86	80	87	27	73	62	51	41	23	11	10	9	16	12	12	10	7	6	14	24	27	7	24	773	32	87	6		
6 木	11	8	11	22	9	7	13	11	20	25	22	14	27	30	23	16	27	11	16	5	5	3	3	3	24	342	14	30	3		
7 金	2	1	1	2	3	2	4	12	16	17	20	19	20	17	16	17	13	11	8	5	3	5	2	3	24	219	9	20	1		
8 土	3	2	1	3	3	5	6	16	44	21	16	8	7	6	10	6	5	11	16	1	2	5	26	72	24	295	12	72	1		
9 日	25	22	51	53	42	16	9	8	13	17	27	43	36	23	50	36	13	8	5	7	4	10	20	6	24	544	23	53	4		
10 月	7	43	80	78	40	55	46	49	25	18	20	15	15	15	16	調整	6	2	8	4	2	2	2	1	23	549	24	80	1		
11 火	1	1	1	1	1	1	2	4	3	4	6	7	6	6	5	7	4	3	3	3	2	2	2	1	24	76	3	7	1		
12 水	2	1	1	3	7	5	10	8	11	10	11	13	14	9	8	7	8	7	6	3	2	3	1	2	24	152	6	14	1		
13 木	1	1	1	1	2	2	4	8	12	8	9	11	9	7	5	4	6	6	8	8	6	2	2	2	24	125	5	12	1		
14 金	3	1	1	1	2	2	5	8	8	10	14	13	10	10	9	12	8	8	8	3	3	3	1	2	24	145	6	14	1		
15 土	2	4	6	14	7	4	17	17	22	40	13	16	8	14	10	17	7	5	2	3	1	2	4	55	24	290	12	55	1		
16 日	23	42	49	98	68	44	107	46	30	10	7	4	3	2	4	2	9	16	11	5	2	10	13	5	24	610	25	107	2		
17 月	3	2	42	20	23	54	68	43	25	38	17	29	26	25	38	13	5	7	5	3	2	1	2	1	24	492	21	68	1		
18 火	2	1	1	2	2	4	3	3	4	7	6	7	7	7	7	7	6	5	3	2	1	1	1	1	24	90	4	7	1		
19 水	1	1	1	1	1	1	4	6	8	7	12	7	9	6	8	9	12	14	10	5	2	3	6	5	24	139	6	14	1		
20 木	9	13	20	27	8	4	5	6	9	10	9	10	10	17	18	33	43	31	8	11	52	102	138	57	24	650	27	138	4		
21 金	79	69	58	83	50	58	55	47	29	37	120	78	38	45	55	70	70	65	38	7	4	4	13	18	24	1190	50	120	4		
22 土	15	32	48	84	98	71	237	70	36	31	11	14	17	11	14	36	48	35	6	4	4	5	9	11	24	947	39	237	4		
23 日	5	6	6	4	10	40	52	32	8	8	3	2	2	3	6	10	11	13	13	3	2	2	3	2	24	246	10	52	2		
24 月	5	6	11	4	27	53	28	47	24	31	16	調整	16	12	21	36	35	33	6	6	4	2	4	11	23	438	19	53	2		
25 火	34	調整	84	23	10	26	55	65	43	23	16	32	29	13	31	31	32	36	16	6	6	7	17	25	23	660	29	84	6		
26 水	134	7	6	30	26	47	105	178	40	27	27	26	21	52	48	76	35	5	6	6	5	41	19	69	24	1036	43	178	5		
27 木	110	104	99	94	133	106	216	175	131	186	183	97	72	50	52	40	19	40	152	144	134	140	106	121	24	2704	113	216	19		
28 金	174	14	47	28	18	193	82	73	27	29	13	8	7	7	22	41	36	24	12	6	5	5	9	4	24	884	37	193	4		
時間	28	27	28	28	28	28	28	28	28	28	28	27	28	28	28	27	28	28	28	28	28	28	28	28	28	669					
合計	823	581	915	976	1026	1121	1649	1545	991	965	899	714	593	516	666	736	674	628	624	443	421	534	504	557		19101					
平均	29	22	33	35	37	40	59	55	35	34	32	26	21	18	24	27	24	22	22	16	15	19	18	20			29				
最高	174	104	108	98	172	193	237	386	131	186	183	97	72	56	65	76	84	73	152	144	134	140	138	121				386			
最低	1	1	1	1	1	1	2	3	3	4	3	2	2	2	4	2	4	2	2	1	1	1	1	1	1						1

有効測定日数

28 日

日平均値の最高値

113 ppb























局名：20 曾根崎 項目：6 NO2 単位：ppb

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低			
1 土	28	37	36	30	37	27	41	55	34	27	19	34	47	36	38	52	64	60	60	63	44	38	34	27	24	968	40	64	19			
2 日	38	33	44	26	18	20	23	29	22	32	21	22	22	16	18	20	21	25	26	25	26	23	24	18	24	592	25	44	16			
3 月	23	21	25	38	47	36	62	44	49	59	32	42	28	25	26	45	36	50	36	27	43	31	24	26	24	875	36	62	21			
4 火	18	19	21	29	42	42	39	32	36	41	44	29	20	27	35	28	36	36	44	47	31	11	14	14	24	735	31	47	11			
5 水	34	38	43	43	52	21	28	28	25	19	20	18	15	15	12	18	15	18	17	18	31	36	33	27	24	624	26	52	12			
6 木	26	20	25	29	28	20	17	19	25	22	23	18	23	30	21	17	27	24	25	14	20	14	11	8	24	506	21	30	8			
7 金	10	9	8	9	11	10	14	18	24	18	17	20	19	18	20	24	22	19	19	15	12	11	10	11	24	368	15	24	8			
8 土	11	10	11	12	11	18	22	22	28	22	19	12	11	11	15	9	10	15	15	9	10	15	31	41	24	390	16	41	9			
9 日	29	27	31	22	17	18	16	11	12	13	19	29	17	18	28	20	15	16	19	21	23	23	32	23	24	499	21	32	11			
10 月	18	28	32	31	19	24	27	29	18	18	16	18	14	13	16	調整	10	10	16	13	11	10	9	9	23	409	18	32	9			
11 火	9	9	10	8	5	5	6	5	7	5	7	7	8	7	6	8	8	7	8	10	10	11	9	8	24	183	8	11	5			
12 水	12	12	11	14	23	16	23	22	21	14	10	11	12	13	10	10	13	13	16	14	12	13	12	16	24	343	14	23	10			
13 木	14	9	7	7	10	11	12	16	16	14	14	14	12	15	12	12	15	17	21	22	22	17	16	12	24	337	14	22	7			
14 金	10	9	7	8	8	6	9	15	11	18	15	20	14	15	14	19	22	28	27	23	27	15	8	13	24	361	15	28	6			
15 土	11	11	11	9	16	13	12	20	22	21	10	12	11	15	13	13	9	12	9	9	9	11	16	37	24	332	14	37	9			
16 日	27	31	31	39	31	26	33	25	19	10	12	8	6	7	9	9	16	19	22	14	14	17	16	13	24	454	19	39	6			
17 月	13	13	30	29	27	37	40	30	27	32	22	30	26	31	39	23	16	20	21	12	10	9	9	10	24	556	23	40	9			
18 火	12	10	7	7	10	10	12	11	14	17	13	15	14	14	13	15	15	15	12	8	8	9	11	11	24	283	12	17	7			
19 水	11	9	11	10	8	7	15	20	19	12	10	11	9	9	13	15	21	22	19	18	16	15	31	24	24	355	15	31	7			
20 木	26	30	32	38	32	25	23	19	18	13	14	13	12	16	21	23	31	29	22	25	33	57	46	36	24	634	26	57	12			
21 金	34	34	18	33	22	27	23	24	16	24	36	48	32	33	44	49	40	43	45	20	21	26	39	41	24	772	32	49	16			
22 土	37	39	35	34	35	35	43	30	28	26	13	21	25	13	21	38	45	39	16	22	23	35	39	34	24	726	30	45	13			
23 日	16	11	15	14	16	29	37	26	11	11	8	8	6	9	15	17	22	23	23	21	20	17	22	18	24	415	17	37	6			
24 月	21	22	16	16	28	32	28	30	23	24	16	調整	20	20	31	47	49	40	26	19	18	31	34	44	23	635	28	49	16			
25 火	47	調整	56	31	25	28	44	45	35	24	25	27	25	20	34	52	56	62	40	39	43	47	59	51	23	915	40	62	20			
26 水	66	25	26	40	45	40	49	67	49	43	41	46	36	37	44	50	39	17	15	17	14	25	21	35	24	887	37	67	14			
27 木	58	50	54	45	54	50	50	43	50	47	56	44	31	34	39	32	25	32	55	55	52	46	34	36	24	1072	45	58	25			
28 金	42	20	23	23	18	42	31	32	18	22	19	17	14	17	33	37	56	39	32	19	22	25	37	32	24	670	28	56	14			
時間	28	27	28	28	28	28	28	28	28	28	28	27	28	28	28	27	28	28	28	28	28	28	28	28	28	669						
合計	701	586	676	674	695	675	779	767	677	648	571	594	529	534	640	702	754	750	706	619	625	638	681	675		15896						
平均	25	22	24	24	25	24	28	27	24	23	20	22	19	19	23	26	27	27	25	22	22	23	24	24			24					
最高	66	50	56	45	54	50	62	67	50	59	56	48	47	37	44	52	64	62	60	63	52	57	59	51			67					
最低	9	9	7	7	5	5	6	5	7	5	7	7	6	7	6	8	8	7	8	8	8	9	8	8								5

有効測定日数	28 日
測定時間	669 時間
平均値	24 ppb
最高値	67 ppb
1時間値が0.2ppmを超えた時間数とその割合	0 時間 ( 0.0%)
1時間値が0.1ppm以上0.2ppm以下の時間数とその割合	0 時間 ( 0.0%)
日平均値が、0.06ppmを超えた日数とその割合	0 日 ( 0.0%)
日平均値が、0.04ppm以上0.06ppm以下の日数とその割合	3 日 ( 10.7%)
日平均値の最高値	45 ppb



























# 月報

2013年04月

PAGE: 49

局名：20 曾根崎 項目：8 CO 単位：0.1ppm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低
1 月	3	3	3	3	3	4	4	5	4	4	4	4	4	4	4	4	4	4	6	6	5	5	6	5	24	101	4	6	3
2 火	6	5	5	5	4	4	5	5	5	4	4	4	5	6	4	5	6	5	6	7	6	6	5	4	24	121	5	7	4
3 水	4	校正	4	5	5	5	6	6	6	6	5	5	4	5	5	5	5	5	5	6	6	5	7	6	23	121	5	7	4
4 木	7	5	5	5	5	5	5	6	5	4	4	5	5	5	5	4	5	6	6	5	6	7	7	7	24	129	5	7	4
5 金	6	6	6	6	5	7	6	7	5	5	5	4	4	5	4	5	5	5	6	6	7	8	5	2	24	130	5	8	2
6 土	2	2	2	2	3	3	3	2	3	3	3	3	2	3	4	4	4	4	4	4	4	3	4	4	24	75	3	4	2
7 日	4	3	3	4	3	3	3	3	4	4	4	4	5	5	5	4	5	5	5	5	4	4	3	3	24	95	4	5	3
8 月	4	3	4	4	4	4	5	5	5	4	4	4	3	3	3	3	4	4	5	6	6	5	6	5	24	103	4	6	3
9 火	4	4	4	4	4	4	5	6	5	4	5	4	4	調整	4	4	4	4	5	5	5	5	5	4	23	102	4	6	4
10 水	4	校正	4	4	4	3	5	5	5	4	4	3	3	4	4	4	4	4	4	5	4	4	4	3	23	92	4	5	3
11 木	4	3	3	3	4	4	6	7	6	5	5	4	5	5	4	5	5	5	6	6	7	7	7	5	24	121	5	7	3
12 金	4	4	4	4	4	5	6	6	5	4	5	4	4	5	5	5	5	5	5	6	6	6	6	6	24	119	5	6	4
13 土	5	5	6	6	5	5	5	5	4	5	5	4	4	4	4	4	4	4	4	4	4	4	4	3	24	107	4	6	3
14 日	3	3	3	3	3	3	5	4	4	4	4	5	4	4	4	4	4	4	4	4	4	4	5	4	24	93	4	5	3
15 月	4	4	4	4	4	5	6	7	4	3	3	3	3	3	3	3	3	5	4	4	3	3	4	3	24	92	4	7	3
16 火	3	3	3	3	3	3	4	5	5	4	4	4	4	4	3	4	3	3	3	3	3	3	3	4	24	84	4	5	3
17 水	3	校正	3	3	4	4	3	4	3	3	3	3	3	3	3	3	3	4	4	3	3	3	3	3	23	74	3	4	3
18 木	3	3	3	4	4	4	4	4	4	4	5	5	4	4	4	4	4	4	4	4	4	3	3	3	24	91	4	5	3
19 金	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	4	4	3	3	3	3	3	3	24	74	3	4	3
20 土	3	3	3	3	3	3	3	4	3	4	4	4	4	4	5	5	5	5	4	4	4	3	4	4	24	91	4	5	3
21 日	4	4	3	3	3	3	4	4	3	3	3	3	3	3	3	3	3	3	3	3	4	3	3	4	24	78	3	4	3
22 月	3	3	4	3	3	4	4	4	4	4	4	4	4	調整	4	4	4	5	4	4	4	4	4	4	23	89	4	5	3
23 火	3	4	4	4	4	4	5	4	6	4	6	5	5	4	4	4	4	4	4	4	4	4	3	3	24	100	4	6	3
24 水	3	校正	3	2	3	3	3	4	4	5	7	6	5	5	4	5	4	4	4	4	4	5	5	5	23	97	4	7	2
25 木	5	5	4	4	5	5	5	6	4	4	4	4	4	4	4	4	4	4	5	6	6	6	6	6	24	114	5	6	4
26 金	6	5	5	5	4	4	6	4	4	4	4	4	4	4	4	4	4	5	5	5	5	4	5	4	24	108	5	6	4
27 土	5	4	4	5	5	4	5	4	4	4	4	4	4	4	4	4	4	5	5	5	5	5	4	4	24	105	4	5	4
28 日	4	5	5	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	6	5	6	5	4	24	104	4	6	4
29 月	4	4	4	4	4	4	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3	4	3	3	24	84	4	4	3
30 火	3	3	3	3	3	3	3	4	3	4	3	3	3	3	4	4	4	4	5	4	3	3	4	5	24	84	4	5	3
時間	30	26	30	30	30	30	30	30	30	30	30	30	30	28	30	30	30	30	30	30	30	30	30	30	714				
合計	119	99	114	115	115	119	135	141	128	121	127	118	116	113	118	121	124	130	135	140	135	137	135	123		2978			
平均	4	4	4	4	4	4	5	5	4	4	4	4	4	4	4	4	4	4	5	5	5	5	5	4			4		
最高	7	6	6	6	5	7	6	7	6	6	7	6	5	6	5	5	6	6	6	7	7	8	7	7			8		
最低	2	2	2	2	3	3	3	2	3	3	3	3	2	3	3	3	3	3	3	3	3	3	3	2					2

有効測定日数

30 日

測定時間

714 時間

平均値

4 × 0.1ppm

8時間値が20ppmを超えた回数とその割合

0 回 ( 0.0%)

日平均値が10ppmを超えた日数とその割合

0 日 ( 0.0%)

1時間値が30ppm以上の日数とその割合

0 日 ( 0.0%)

1時間値の最高値

8 × 0.1ppm

日平均値の最高値

5 × 0.1ppm

日平均値が、10ppmを超えた日が2日以上連続したことの有無 ( × : 有 ○ : 無)

○

月報

2013年05月

PAGE:50

局名：20 曾根崎 項目：8 CO 単位：0.1ppm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低	
1 水	4	校正	3	3	3	3	3	3	4	4	4	3	3	3	3	3	4	4	4	3	3	3	3	3	23	76	3	4	3	
2 木	3	3	3	3	4	4	4	4	4	4	3	3	3	3	4	4	4	4	3	3	3	3	3	4	24	82	3	4	3	
3 金	4	4	3	3	3	3	3	3	4	6	5	4	4	4	4	4	4	4	3	4	4	5	5	4	24	94	4	6	3	
4 土	4	3	3	3	4	5	4	4	4	4	3	4	4	4	4	4	4	4	4	4	4	4	4	4	24	93	4	5	3	
5 日	4	3	3	4	3	3	3	3	4	4	4	4	3	4	4	4	4	4	4	5	6	7	7	6	24	100	4	7	3	
6 月	5	4	4	3	4	4	4	4	4	4	4	3	4	3	4	3	4	4	4	4	4	5	5	6	24	99	4	6	3	
7 火	4	3	3	3	3	3	3	4	4	4	3	4	調整	4	4	3	3	4	3	3	3	2	3	2	23	75	3	4	2	
8 水	3	校正	2	3	3	3	3	3	3	3	3	3	4	4	4	3	4	4	5	6	5	5	5	5	23	86	4	6	2	
9 木	5	4	5	4	3	4	4	4	4	4	4	4	5	5	4	4	4	5	5	5	5	4	4	4	24	101	4	5	3	
10 金	3	4	3	3	3	3	3	3	3	4	4	3	3	3	3	3	3	4	4	4	4	5	4	4	24	83	3	5	3	
11 土	4	4	3	3	3	4	3	3	5	5	5	4	4	4	4	4	4	5	4	4	5	5	5	5	24	99	4	5	3	
12 日	5	5	4	4	4	4	3	4	5	5	5	5	5	5	4	4	4	4	4	5	6	6	7	6	24	113	5	7	3	
13 月	4	4	4	4	4	4	4	5	4	5	5	4	3	4	5	5	5	5	6	5	5	6	6	6	24	112	5	6	3	
14 火	6	5	4	4	5	4	3	4	4	5	4	4	4	4	4	4	4	4	4	4	4	4	5	5	24	102	4	6	3	
15 水	4	校正	4	3	3	4	3	4	3	3	4	4	4	3	4	4	4	4	4	4	4	3	3	3	23	82	4	4	3	
16 木	3	3	3	3	3	3	3	4	4	4	3	4	4	4	4	4	4	4	4	4	4	4	4	4	24	88	4	4	3	
17 金	3	3	3	3	3	3	3	4	3	3	3	3	3	3	4	3	3	3	4	4	4	4	4	5	24	81	3	5	3	
18 土	5	4	4	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	5	4	4	24	87	4	5	3	
19 日	2	2	3	3	3	3	3	3	3	3	4	4	4	4	5	5	4	4	5	6	6	7	6	5	24	97	4	7	2	
20 月	4	4	4	4	4	3	3	4	4	5	4	5	4	4	4	4	4	5	5	5	4	4	4	4	24	99	4	5	3	
21 火	4	3	3	4	4	4	4	4	4	4	4	5	4	5	5	5	5	4	5	5	5	6	5	5	24	106	4	6	3	
22 水	5	校正	5	4	5	5	5	5	5	5	5	6	6	6	5	調整	4	5	5	4	5	6	6	5	22	112	5	6	4	
23 木	5	4	4	4	4	4	5	5	4	4	4	5	5	5	調整	5	5	5	5	4	4	4	4	4	23	102	4	5	4	
24 金	4	校正	4	4	5	5	6	4	4	5	5	4	4	5	5	5	6	6	6	5	5	6	6	6	23	115	5	6	4	
25 土	6	4	4	4	4	4	4	4	5	5	5	5	5	5	5	6	5	5	6	6	6	6	5	4	24	118	5	6	4	
26 日	3	3	3	3	4	3	3	3	3	3	4	3	3	3	3	3	3	3	3	3	3	3	2	2	2	24	71	3	4	2
27 月	2	2	3	2	3	3	2	2	2	2	3	3	2	3	3	2	5	3	2	2	2	2	2	2	2	24	59	2	5	2
28 火	2	2	2	3	3	3	4	3	3	4	4	4	4	4	5	4	4	3	5	6	4	4	3	2	2	24	83	3	6	2
29 水	2	3	3	4	4	4	5	5	5	4	4	4	4	4	5	5	6	6	5	5	5	5	4	4	24	106	4	6	2	
30 木	4	4	4	4	4	4	4	4	4	5	5	5	5	5	6	6	6	6	5	6	5	5	5	5	24	116	5	6	4	
31 金	5	校正	4	4	4	4	4	5	5	5	4	4	4	4	3	4	4	4	5	5	5	5	6	6	23	103	4	6	3	
時間	31	25	31	31	31	31	31	31	31	31	31	31	30	31	30	30	31	31	31	31	31	31	31	31	735					
合計	121	87	107	106	112	113	111	117	120	126	125	123	117	126	124	121	130	135	137	136	137	141	138	130		2940				
平均	4	3	3	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	5	4	4			4			
最高	6	5	5	4	5	5	6	5	5	6	5	6	6	6	6	6	6	6	6	6	6	7	7	6				7		
最低	2	2	2	2	3	3	2	2	2	2	3	3	2	3	3	2	3	3	2	2	2	2	2	2					2	

有効測定日数 31 日  
測定時間 735 時間  
平均値 4 ×0.1ppm  
8時間値が20ppmを超えた回数とその割合 0 回 ( 0.0%)  
日平均値が10ppmを超えた日数とその割合 0 日 ( 0.0%)  
1時間値が30ppm以上の日数とその割合 0 日 ( 0.0%)  
1時間値の最高値 7 ×0.1ppm  
日平均値の最高値 5 ×0.1ppm  
日平均値が、10ppmを超えた日が2日以上連続したことの有無 (×：有 ○：無) ○

# 月報

2013年06月

PAGE:51

局名：20 曾根崎 項目：8 CO 単位：0.1ppm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低	
1 土	6	4	4	4	4	4	4	4	4	6	5	6	5	5	5	5	5	5	4	5	4	4	4	4	24	110	5	6	4	
2 日	4	4	4	4	4	4	5	4	4	3	3	3	3	3	3	4	3	4	5	3	3	3	2	2	24	84	4	5	2	
3 月	2	2	2	3	3	3	3	3	3	3	3	3	2	3	3	3	3	3	4	4	4	4	4	4	24	74	3	4	2	
4 火	4	4	3	3	3	4	3	3	2	2	2	2	2	3	4	4	4	調整	4	3	3	4	4	4	23	74	3	4	2	
5 水	4	3	2	2	2	2	2	3	3	2	2	2	2	2	3	5	5	5	4	4	3	3	3	2	24	70	3	5	2	
6 木	2	2	2	2	2	2	3	4	3	3	3	3	3	3	3	3	3	4	4	3	3	3	3	3	24	69	3	4	2	
7 金	3	校正	2	2	2	2	3	3	2	3	3	3	3	3	3	3	3	3	2	2	3	3	2	2	23	60	3	3	2	
8 土	2	2	2	3	3	4	3	4	4	5	4	5	6	5	6	6	7	7	5	5	6	6	6	9	24	115	5	9	2	
9 日	9	4	5	3	2	2	2	3	3	3	3	2	2	2	2	3	3	3	3	3	3	3	3	3	24	74	3	9	2	
10 月	3	2	2	2	2	2	3	3	3	3	3	2	2	2	2	3	3	3	4	3	3	3	3	3	24	64	3	4	2	
11 火	3	3	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2	2	3	2	24	66	3	3	2	
12 水	2	2	2	1	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	24	63	3	3	1	
13 木	3	3	4	3	3	3	3	4	3	3	3	3	3	4	4	3	3	3	3	2	2	2	2	2	24	71	3	4	2	
14 金	3	校正	2	2	4	4	3	3	3	3	3	3	3	3	3	3	3	2	2	2	3	2	3	3	23	65	3	4	2	
15 土	4	3	3	3	3	3	3	2	2	2	3	3	3	3	2	3	4	4	3	3	3	3	3	3	24	71	3	4	2	
16 日	2	2	2	2	2	2	3	3	3	2	2	3	3	3	2	2	2	2	2	2	3	2	2	2	24	56	2	3	2	
17 月	2	3	3	3	3	3	3	3	2	2	2	調整	2	2	2	2	2	2	2	2	2	2	2	2	23	53	2	3	2	
18 火	1	1	2	2	2	2	2	2	3	2	2	2	2	2	2	2	2	2	1	1	1	1	1	1	24	41	2	3	1	
19 水	1	1	1	1	1	1	1	2	1	2	2	2	1	1	2	2	2	2	1	1	1	1	1	1	24	32	1	2	1	
20 木	1	1	1	1	1	1	2	3	2	3	2	2	3	2	3	3	3	2	3	2	2	2	2	2	24	49	2	3	1	
21 金	1	校正	2	2	2	2	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3	23	50	2	3	1	
22 土	3	2	3	3	4	4	3	3	3	3	4	4	4	3	3	3	4	3	4	3	3	4	4	4	24	81	3	4	2	
23 日	4	4	3	3	3	3	4	4	3	3	4	4	3	4	4	4	4	3	2	3	4	3	3	3	24	82	3	4	2	
24 月	3	2	2	2	2	2	3	3	4	4	3	3	3	3	4	5	4	5	5	5	4	5	6	5	24	87	4	6	2	
25 火	4	3	3	3	3	3	3	4	3	4	3	3	3	4	4	4	5	4	6	4	4	5	5	4	24	91	4	6	3	
26 水	2	2	3	3	3	4	5	4	5	4	5	4	4	4	3	3	3	3	3	3	3	2	2	2	24	79	3	5	2	
27 木	2	2	2	2	2	2	2	3	3	4	3	3	2	3	3	3	4	3	3	3	3	3	3	3	24	66	3	4	2	
28 金	3	校正	3	3	3	3	4	4	3	3	3	3	2	3	3	4	5	4	3	2	2	3	2	2	23	70	3	5	2	
29 土	2	2	2	2	2	2	3	2	3	2	3	2	2	2	2	2	2	2	2	2	3	2	2	3	24	53	2	3	2	
30 日	3	3	3	2	2	2	3	4	3	3	2	2	2	2	2	2	2	2	2	2	3	3	2	3	24	59	2	4	2	
時間	30	26	30	30	30	30	30	30	30	30	30	29	30	30	30	30	30	29	30	30	30	30	30	30	714					
合計	88	66	76	73	76	80	89	95	89	90	88	85	83	87	90	97	101	93	94	86	87	88	88	90	2079					
平均	3	3	3	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3		3			
最高	9	4	5	4	4	4	5	4	5	6	5	6	6	5	6	6	7	7	6	5	6	6	6	9			9			
最低	1	1	1	1	1	1	1	2	1	2	2	2	1	1	2	2	2	2	1	1	1	1	1	1						1

有効測定日数	30 日
測定時間	714 時間
平均値	3 × 0.1ppm
8時間値が20ppmを超えた回数とその割合	0 回 ( 0.0%)
日平均値が10ppmを超えた日数とその割合	0 日 ( 0.0%)
1時間値が30ppm以上の日数とその割合	0 日 ( 0.0%)
1時間値の最高値	9 × 0.1ppm
日平均値の最高値	5 × 0.1ppm
日平均値が、10ppmを超えた日が2日以上連続したことの有無 (×：有 ○：無)	○

月報

2013年07月

PAGE:52

局名：20 曾根崎 項目：8 CO 単位：0.1ppm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低		
1 月	3	3	2	2	2	2	3	4	3	4	3	2	2	2	2	2	3	5	4	5	5	4	3	3	24	73	3	5	2		
2 火	3	3	2	2	3	3	4	4	3	3	3	調整	2	2	2	2	2	2	2	2	2	2	2	2	23	57	2	4	2		
3 水	1	1	1	1	1	2	2	2	2	2	2	2	2	3	3	3	3	4	3	2	2	2	2	2	24	50	2	4	1		
4 木	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	24	44	2	2	1		
5 金	1	校正	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	2	2	2	1	23	28	1	2	1		
6 土	1	1	1	1	1	1	1	1	2	3	4	4	2	2	3	3	3	3	2	2	2	2	1	1	24	47	2	4	1		
7 日	1	2	1	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1	2	2	1	2	2	2	24	38	2	2	1		
8 月	1	2	1	2	2	3	2	2	2	2	2	2	1	1	2	2	2	2	2	2	3	3	2	2	24	47	2	3	1		
9 火	2	2	1	2	3	3	4	4	2	2	2	2	2	2	2	2	2	2	2	2	3	2	2	2	24	54	2	4	1		
10 水	2	2	2	2	2	3	3	4	2	2	2	2	2	2	2	2	2	2	2	2	3	4	3	3	24	57	2	4	2		
11 木	2	2	3	4	5	4	3	3	2	2	3	2	2	2	2	2	2	3	3	2	2	2	2	2	24	61	3	5	2		
12 金	2	校正	2	3	3	2	3	2	2	2	2	2	2	2	2	1	2	2	2	2	2	2	2	1	23	47	2	3	1		
13 土	1	2	2	2	2	2	2	2	2	1	2	2	2	1	1	2	2	2	2	2	2	2	2	2	24	44	2	2	1		
14 日	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	2	3	2	3	24	49	2	3	1		
15 月	1	1	1	2	2	2	2	2	2	2	2	1	1	1	1	2	1	2	2	2	2	2	2	3	24	41	2	3	1		
16 火	3	2	2	2	2	2	2	2	3	2	2	2	2	2	2	2	2	2	調整	2	2	2	2	1	23	47	2	3	1		
17 水	1	2	2	2	3	2	2	2	2	2	2	2	2	1	1	2	1	2	2	2	3	2	2	2	24	46	2	3	1		
18 木	2	2	1	2	2	2	2	3	2	2	2	2	3	3	3	3	4	2	2	2	5	5	5	3	24	64	3	5	1		
19 金	2	校正	2	2	3	3	2	3	3	2	2	2	2	2	2	2	2	3	2	2	2	2	2	3	23	52	2	3	2		
20 土	3	2	2	2	2	2	2	3	2	3	3	2	2	2	2	2	3	3	3	3	3	4	4	2	24	61	3	4	2		
21 日	3	3	2	2	2	2	2	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	24	48	2	3	1		
22 月	2	2	2	2	2	2	2	3	3	3	3	2	2	2	2	2	2	2	3	3	3	2	2	2	24	55	2	3	2		
23 火	2	2	2	2	2	3	3	3	3	2	2	2	2	1	2	2	2	2	2	2	2	1	1	1	24	48	2	3	1		
24 水	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	24	46	2	2	1		
25 木	2	2	2	2	2	3	3	3	4	4	4	4	4	3	3	4	4	4	4	4	3	3	3	3	24	76	3	4	2		
26 金	2	校正	2	2	2	2	2	3	3	3	4	3	4	4	4	4	4	4	5	6	6	3	3	2	23	77	3	6	2		
27 土	2	3	2	2	2	3	3	3	3	3	2	3	3	3	2	2	2	2	2	3	2	2	2	2	24	58	2	3	2		
28 日	2	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	1	24	41	2	2	1		
29 月	1	1	2	1	1	2	2	3	2	2	2	4	3	3	調整	4	2	3	3	2	2	2	2	1	23	50	2	4	1		
30 火	1	1	1	1	1	2	2	2	2	2	2	2	3	3	2	2	2	3	2	3	2	2	2	1	24	46	2	3	1		
31 水	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	2	24	39	2	2	1		
時間	31	27	31	31	31	31	31	31	31	31	31	30	31	31	30	31	31	31	30	31	31	31	31	31	737						
合計	54	49	52	58	63	68	71	78	71	70	72	64	65	63	61	68	69	76	72	74	78	69	68	58	1591						
平均	2	2	2	2	2	2	2	3	2	2	2	2	2	2	2	2	2	2	2	2	3	2	2	2	2		2				
最高	3	3	3	4	5	4	4	4	4	4	4	4	4	4	4	4	4	5	5	6	6	5	5	3			6				
最低	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							1

有効測定日数 31 日  
 測定時間 737 時間  
 平均値 2 × 0.1ppm  
 8時間値が20ppmを超えた回数とその割合 0 回( 0.0%)  
 日平均値が10ppmを超えた日数とその割合 0 日( 0.0%)  
 1時間値が30ppm以上の日数とその割合 0 日( 0.0%)  
 1時間値の最高値 6 × 0.1ppm  
 日平均値の最高値 3 × 0.1ppm  
 日平均値が、10ppmを超えた日が2日以上連続したことの有無 (× : 有 ○ : 無)  
 ○

局名：20 曾根崎 項目：8 CO 単位：0.1ppm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低	
1 木	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	1	1	2	2	2	2	3	2	2	24	42	2	3	1	
2 金	2	校正	2	2	2	3	3	3	3	2	2	2	2	2	2	3	1	2	3	3	4	4	3	2	23	57	2	4	1	
3 土	3	3	2	2	2	3	3	3	2	2	2	2	2	2	2	2	3	2	3	4	3	3	2	1	24	58	2	4	1	
4 日	1	1	1	1	1	1	2	2	3	2	2	2	3	3	3	2	3	3	3	4	3	3	3	3	24	55	2	4	1	
5 月	2	2	2	2	2	3	3	4	4	4	4	3	3	3	3	4	4	3	3	4	4	4	4	3	24	77	3	4	2	
6 火	3	3	3	3	3	3	3	4	3	3	3	3	3	3	2	3	2	3	3	3	3	3	2	3	24	70	3	4	2	
7 水	2	2	2	2	2	3	3	3	3	2	3	2	2	2	2	2	2	3	3	3	3	2	3	2	24	58	2	3	2	
8 木	2	2	2	2	2	2	3	3	3	3	2	2	2	2	2	2	2	2	2	3	3	3	3	3	24	57	2	3	2	
9 金	3	校正	2	2	2	3	3	3	2	2	3	2	2	2	2	2	2	3	3	3	2	3	2	2	23	55	2	3	2	
10 土	2	2	2	3	3	3	3	3	3	電断	2	2	2	2	2	3	4	4	4	4	4	6	4	4	23	71	3	6	2	
11 日	3	3	3	3	3	3	3	3	3	4	3	3	3	3	3	3	4	3	4	3	3	3	4	4	24	77	3	4	3	
12 月	3	3	3	3	3	3	3	3	3	3	3	調整	3	4	3	3	3	3	3	3	3	3	2	2	23	68	3	4	2	
13 火	2	3	2	2	2	2	2	2	2	2	2	2	2	3	2	2	2	2	2	2	1	2	2	2	24	49	2	3	1	
14 水	2	2	2	2	2	2	2	2	2	2	2	2	2	3	2	2	2	2	2	2	2	1	2	3	24	49	2	3	1	
15 木	2	2	2	2	2	2	2	2	2	2	2	2	3	2	2	2	2	2	2	2	2	2	2	3	24	50	2	3	2	
16 金	2	校正	3	2	2	2	2	3	2	2	2	3	2	3	2	2	3	3	3	2	2	2	3	3	23	55	2	3	2	
17 土	3	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	2	2	3	3	24	59	2	3	2	
18 日	3	3	2	2	2	2	2	2	2	2	2	2	2	2	1	3	4	4	4	4	4	3	3	3	24	62	3	4	1	
19 月	2	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	3	2	3	3	3	2	2	24	47	2	3	1	
20 火	2	2	1	1	1	1	2	2	2	2	2	2	2	2	2	3	4	4	3	2	2	2	2	2	24	50	2	4	1	
21 水	2	1	1	1	1	1	2	1	2	1	1	1	1	2	2	2	3	2	2	2	2	2	2	2	24	39	2	3	1	
22 木	1	2	2	1	2	2	2	2	2	3	3	2	2	2	2	2	2	3	3	2	2	2	2	1	24	49	2	3	1	
23 金	1	校正	2	2	2	3	3	3	2	2	2	2	2	2	2	2	2	3	2	3	3	2	2	3	23	52	2	3	1	
24 土	2	1	2	1	1	1	2	3	4	4	4	4	3	3	3	3	3	3	4	3	3	4	3	2	24	66	3	4	1	
25 日	1	1	1	1	1	1	2	2	2	2	3	2	2	2	2	2	2	3	3	4	4	2	2	2	24	49	2	4	1	
26 月	2	2	2	2	2	2	3	3	3	4	3	4	3	3	3	4	4	3	3	3	3	3	4	3	24	71	3	4	2	
27 火	3	3	3	3	3	3	3	4	3	3	2	3	2	3	3	4	5	6	5	調整	5	5	5	5	23	84	4	6	2	
28 水	4	3	3	3	3	3	3	4	3	3	4	4	4	3	4	3	3	4	6	6	5	5	4	3	24	90	4	6	3	
29 木	3	3	3	3	3	3	4	3	4	3	2	2	2	2	2	2	1	2	2	2	2	2	2	2	24	59	2	4	1	
30 金	2	校正	2	1	2	2	2	2	2	2	3	2	2	2	2	2	2	3	3	2	2	2	3	2	23	49	2	3	1	
31 土	1	1	2	1	1	2	2	2	2	2	3	4	5	4	4	4	4	4	5	5	6	6	5	5	24	80	3	6	1	
時間	31	26	31	31	31	31	31	31	31	30	31	30	31	31	31	31	31	31	31	30	31	31	31	31	736					
合計	67	54	63	59	61	69	78	82	79	74	77	72	75	78	73	79	84	92	95	91	92	91	88	81	1854					
平均	2	2	2	2	2	2	3	3	3	2	2	2	2	3	2	3	3	3	3	3	3	3	3	3		3				
最高	4	3	3	3	3	3	4	4	4	4	4	4	5	4	4	4	5	6	6	6	6	6	5	5			6			
最低	1	1	1	1	1	1	2	1	2	1	1	1	1	2	1	1	1	2	2	2	2	1	2	2						

有効測定日数 31 日  
 測定時間 736 時間  
 平均値 3 × 0.1ppm  
 8時間値が20ppmを超えた回数とその割合 0 回 ( 0.0%)  
 日平均値が10ppmを超えた日数とその割合 0 日 ( 0.0%)  
 1時間値が30ppm以上の日数とその割合 0 日 ( 0.0%)  
 1時間値の最高値 6 × 0.1ppm  
 日平均値の最高値 4 × 0.1ppm  
 日平均値が、10ppmを超えた日が2日以上連続したことの有無 ( × : 有 ○ : 無)  
 ○

# 月報

2013年09月

PAGE:54

局名: 20 曾根崎 項目: 8 CO 単位: 0.1ppm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低
1 日	4	4	4	4	3	3	3	4	4	3	4	3	3	3	3	4	4	4	5	4	3	4	4	3	24	87	4	5	3
2 月	3	3	2	3	3	2	3	3	3	3	3	3	2	2	3	3	3	3	4	4	6	3	3	3	24	73	3	6	2
3 火	3	2	2	2	2	3	2	2	2	2	3	3	2	2	2	2	2	2	2	2	1	2	1	1	24	49	2	3	1
4 水	1	1	1	1	1	1	2	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	24	43	2	3	1
5 木	3	6	3	2	3	3	5	3	3	2	2	2	2	2	2	3	3	3	3	2	3	3	2	2	24	67	3	6	2
6 金	2	校正	2	2	2	2	3	3	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	23	55	2	3	2
7 土	3	3	3	4	4	4	4	4	4	4	4	5	4	5	4	4	5	4	5	5	6	5	5	4	24	102	4	6	3
8 日	4	4	3	3	3	2	3	3	2	2	2	2	2	2	2	2	2	3	2	2	2	2	2	2	24	58	2	4	2
9 月	2	2	2	2	2	2	2	3	3	3	3	3	2	3	3	3	3	3	4	3	3	2	2	2	24	62	3	4	2
10 火	2	2	2	2	2	3	3	3	3	3	3	3	2	3	3	4	4	4	4	4	3	3	4	4	24	73	3	4	2
11 水	4	4	4	4	3	4	4	5	4	4	4	4	3	3	3	3	3	4	調整	3	3	3	3	3	23	82	4	5	3
12 木	3	3	3	3	3	3	4	4	3	3	4	3	3	3	3	4	3	3	4	3	4	5	4	4	24	82	3	5	3
13 金	4	校正	4	4	4	4	5	4	3	3	4	4	3	3	3	3	4	4	3	4	3	3	4	3	23	83	4	5	3
14 土	3	3	2	2	2	3	3	3	3	3	3	3	2	2	3	3	3	4	4	3	3	3	3	4	24	70	3	4	2
15 日	4	3	3	3	2	3	3	3	3	2	3	2	3	2	2	2	2	2	2	2	1	1	1	1	24	55	2	4	1
16 月	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	24	48	2	2	2
17 火	2	2	2	2	2	2	3	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	24	56	2	3	2
18 水	3	2	2	2	2	3	3	3	3	3	3	2	2	3	2	2	2	3	4	3	3	3	3	3	24	64	3	4	2
19 木	3	3	2	3	2	3	3	4	4	3	3	3	3	2	3	4	3	4	4	4	4	4	4	2	24	77	3	4	2
20 金	2	校正	2	2	2	2	3	3	3	2	2	3	2	2	3	3	3	3	4	4	3	4	4	4	23	65	3	4	2
21 土	4	3	2	2	2	3	3	3	3	2	2	2	2	2	3	3	4	3	4	3	4	4	4	3	24	70	3	4	2
22 日	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	24	54	2	3	2
23 月	3	3	2	3	3	2	3	3	3	3	3	3	3	3	3	3	3	3	4	4	4	4	3	3	24	73	3	4	2
24 火	3	3	3	2	2	2	3	3	2	2	2	2	調整	2	3	3	4	3	3	3	3	3	3	3	23	62	3	4	2
25 水	2	2	3	2	2	3	3	3	3	3	4	3	3	3	3	3	2	2	2	2	2	2	2	2	24	61	3	4	2
26 木	1	1	1	1	1	1	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	24	43	2	3	1
27 金	2	校正	2	2	2	2	3	2	2	2	2	2	2	2	2	2	2	2	3	2	3	2	3	2	23	50	2	3	2
28 土	2	2	2	2	2	2	3	3	3	2	2	2	2	2	2	2	2	3	3	4	3	3	3	3	24	59	2	4	2
29 日	2	2	2	2	2	2	3	3	3	2	3	2	2	3	2	2	4	4	4	4	4	4	4	3	24	66	3	4	2
30 月	2	2	2	2	1	2	2	3	2	3	4	2	2	3	3	4	3	5	4	3	3	3	3	2	24	65	3	5	1
時間	30	26	30	30	30	30	30	30	30	30	30	30	29	30	30	30	30	30	29	30	30	30	30	30	714				
合計	81	69	71	72	68	75	90	91	84	76	84	78	68	74	77	83	85	92	95	91	92	89	88	81		1954			
平均	3	3	2	2	2	3	3	3	3	3	3	3	2	2	3	3	3	3	3	3	3	3	3	3			3		
最高	4	6	4	4	4	4	5	5	4	4	4	5	4	5	4	4	5	5	5	5	6	5	5	4			6		
最低	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	1					1

有効測定回数 30 回  
 測定時間 714 時間  
 平均値 3 × 0.1ppm  
 8時間値が20ppmを超えた回数とその割合 0 回 ( 0.0%)  
 日平均値が10ppmを超えた日数とその割合 0 日 ( 0.0%)  
 1時間値が30ppm以上の日数とその割合 0 日 ( 0.0%)  
 1時間値の最高値 6 × 0.1ppm  
 日平均値の最高値 4 × 0.1ppm  
 日平均値が、10ppmを超えた日が2日以上連続したことの有無 (×:有 ○:無) ○



# 月報

2013年11月

PAGE:56

局名：20 曾根崎 項目：8 CO 単位：0.1ppm

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低			
1	金	4	校正	4	4	4	4	5	6	5	4	5	5	4	5	5	6	5	5	6	5	6	7	7	6	23	117	5	7	4	
2	土	6	5	5	5	5	5	6	7	5	6	6	5	5	5	5	7	11	10	9	9	8	8	7	24	155	6	11	5		
3	日	7	6	5	5	5	5	4	5	7	4	5	5	5	3	3	4	4	4	5	4	4	4	4	24	110	5	7	3		
4	月	3	4	4	4	4	4	5	7	6	5	5	5	5	5	5	5	5	6	6	6	7	6	6	24	123	5	7	3		
5	火	6	6	5	6	5	5	6	7	6	5	4	4	調整	調整	4	4	5	4	4	4	5	5	5	4	22	109	5	7	4	
6	水	4	4	4	4	4	4	5	5	5	5	5	5	5	6	6	7	7	6	7	8	6	5	5	24	127	5	8	4		
7	木	4	4	4	4	4	4	6	7	6	5	5	4	4	4	4	5	6	8	7	7	6	7	6	24	125	5	8	4		
8	金	5	校正	5	4	5	5	6	6	6	5	5	5	4	4	3	3	3	3	4	5	5	4	5	4	23	104	5	6	3	
9	土	4	4	3	3	3	4	6	4	4	4	4	5	4	5	6	5	6	6	8	8	6	5	4	4	24	116	5	8	3	
10	日	4	4	4	3	3	3	3	4	4	4	4	4	4	4	6	4	5	6	5	5	3	3	2	24	96	4	6	2		
11	月	2	2	2	2	2	2	3	4	3	3	4	3	2	3	3	2	3	5	4	6	5	5	4	4	24	78	3	6	2	
12	火	4	3	3	3	4	4	6	9	5	5	5	4	3	3	3	3	3	5	8	9	8	6	5	5	24	116	5	9	3	
13	水	4	4	3	3	3	3	3	4	3	3	3	3	3	3	3	3	6	8	6	5	4	4	3	24	90	4	8	3		
14	木	3	2	3	3	3	3	4	4	4	4	4	4	4	3	4	3	4	6	8	8	7	7	6	5	24	106	4	8	2	
15	金	4	校正	3	3	2	2	2	4	4	4	3	3	4	4	4	5	5	6	5	6	9	7	8	7	23	104	5	9	2	
16	土	5	4	3	3	3	4	5	5	5	4	5	4	4	4	4	4	7	8	7	7	7	7	6	24	120	5	8	3		
17	日	6	5	5	5	4	4	5	6	6	5	6	6	5	5	4	4	4	4	4	4	4	4	4	3	24	112	5	6	3	
18	月	3	3	3	3	3	3	4	5	5	4	4	3	3	3	3	3	3	4	4	4	4	3	3	3	24	83	3	5	3	
19	火	3	3	2	2	2	2	3	4	6	3	3	3	3	4	4	4	4	4	4	5	5	4	4	4	24	85	4	6	2	
20	水	3	3	4	3	3	3	3	4	4	4	調整	3	3	3	3	3	5	6	5	5	4	4	4	23	85	4	6	3		
21	木	3	3	3	3	3	4	5	6	4	3	3	3	3	3	4	4	5	7	7	6	6	5	4	24	100	4	7	3		
22	金	4	校正	4	3	5	4	6	8	6	4	4	3	4	4	4	4	6	7	7	6	8	8	5	23	118	5	8	3		
23	土	4	3	4	3	3	3	3	4	4	4	5	5	4	4	4	4	7	8	8	9	7	9	8	24	121	5	9	3		
24	日	5	5	5	4	4	3	5	5	4	3	4	4	4	3	4	4	5	6	6	5	5	5	4	3	24	105	4	6	3	
25	月	3	3	2	2	2	3	6	8	7	9	10	8	6	5	5	4	5	6	6	5	5	5	4	4	24	123	5	10	2	
26	火	3	3	3	3	3	3	4	5	6	3	3	3	3	3	3	4	6	7	7	5	5	3	4	24	95	4	7	3		
27	水	3	3	3	3	2	2	3	5	4	4	4	4	4	4	4	4	6	5	5	4	4	3	3	24	90	4	6	2		
28	木	3	2	2	2	3	3	4	5	5	4	4	3	4	3	3	3	4	5	6	5	5	5	4	3	24	90	4	6	2	
29	金	3	校正	3	3	3	3	5	6	6	5	5	5	4	4	4	4	5	7	7	6	7	6	5	5	23	111	5	7	3	
30	土	5	4	4	4	4	4	4	5	5	4	4	5	4	4	4	5	6	7	6	6	7	6	5	7	24	119	5	7	4	
時間		30	25	30	30	30	30	30	30	30	29	30	29	29	30	30	30	30	30	30	30	30	30	30	30	712					
合計		120	92	107	102	103	105	135	164	150	129	132	125	115	115	118	120	132	169	187	181	179	163	153	137	3233					
平均		4	4	4	3	3	4	5	5	5	4	5	4	4	4	4	4	6	6	6	6	5	5	5		5					
最高		7	6	5	6	5	5	6	9	7	9	10	8	6	6	6	6	7	11	10	9	9	8	9	8		11				
最低		2	2	2	2	2	2	2	4	3	3	3	3	2	3	3	2	3	3	4	4	4	3	3	2						2

有効測定日数	30 日
測定時間	712 時間
平均値	5 × 0.1ppm
8時間値が20ppmを超えた回数とその割合	0 回 ( 0.0%)
日平均値が10ppmを超えた日数とその割合	0 日 ( 0.0%)
1時間値が30ppm以上の日数とその割合	0 日 ( 0.0%)
1時間値の最高値	11 × 0.1ppm
日平均値の最高値	6 × 0.1ppm
日平均値が、10ppmを超えた日が2日以上連続したことの有無 ( × : 有 ○ : 無)	○

月報

2013年12月

PAGE:57

局名:20 曾根崎 項目:8 CO 単位:0.1ppm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低	
1 日	6	5	4	5	4	5	4	6	5	4	5	4	5	4	4	5	5	6	9	9	9	9	7	6	24	135	6	9	4	
2 月	5	4	4	4	4	4	5	5	5	4	5	6	5	5	4	4	5	8	6	8	8	8	7	6	24	129	5	8	4	
3 火	7	7	5	4	4	4	4	6	5	5	4	5	4	調整	調整	5	5	7	10	8	9	9	7	5	22	129	6	10	4	
4 水	6	6	5	5	5	6	7	6	6	4	4	5	5	5	5	5	5	8	8	8	8	9	8	6	24	145	6	9	4	
5 木	5	4	5	4	5	4	5	7	5	4	4	5	5	5	5	5	6	9	10	9	8	7	8	8	24	142	6	10	4	
6 金	6	校正	5	4	5	6	6	9	8	6	6	6	6	6	7	8	7	10	9	12	13	13	12	9	23	179	8	13	4	
7 土	10	8	8	6	6	6	7	10	8	6	6	5	4	4	4	4	5	8	6	8	10	8	5	4	24	156	7	10	4	
8 日	5	5	5	5	6	5	6	7	4	4	4	4	3	3	3	3	6	7	6	6	7	8	5	4	24	121	5	8	3	
9 月	4	4	4	3	4	4	4	6	6	5	9	6	6	8	7	7	9	10	10	5	5	5	4	6	24	141	6	10	3	
10 火	7	6	5	4	3	3	5	5	4	5	5	4	4	4	4	4	5	6	8	9	7	7	7	6	24	127	5	9	3	
11 水	5	6	5	4	4	5	5	6	6	5	5	4	4	4	5	3	5	6	6	7	6	4	4	4	24	118	5	7	3	
12 木	3	3	2	3	3	3	5	7	6	4	4	3	3	3	3	3	4	5	6	5	5	7	5	4	24	99	4	7	2	
13 金	4	校正	3	3	3	3	5	6	7	5	5	4	3	3	3	3	4	4	4	4	4	5	4	4	23	93	4	7	3	
14 土	3	4	3	3	3	3	3	5	6	5	3	3	4	3	4	4	4	6	6	6	6	5	4	4	24	100	4	6	3	
15 日	4	3	4	4	4	4	5	5	6	5	5	5	5	5	4	3	4	5	4	4	4	4	5	4	24	105	4	6	3	
16 月	3	3	3	3	3	3	3	4	4	3	3	2	2	3	3	調整	3	4	4	3	3	3	3	3	23	71	3	4	2	
17 火	3	2	2	2	2	2	3	5	4	4	3	2	2	2	2	2	4	4	3	3	3	2	2	2	24	65	3	5	2	
18 水	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	5	6	24	73	3	6	2	
19 木	6	5	4	3	3	2	3	7	7	6	7	6	4	4	3	3	4	4	5	5	3	4	4	3	24	105	4	7	2	
20 金	2	校正	2	3	3	3	3	4	4	4	5	5	4	5	4	5	5	6	7	8	5	5	6	4	23	102	4	8	2	
21 土	4	4	3	4	3	3	4	5	5	5	6	5	4	4	4	4	5	6	6	5	6	5	5	4	24	109	5	6	3	
22 日	3	4	3	3	3	3	3	3	4	3	3	4	3	4	4	4	5	5	5	5	9	8	7	7	24	105	4	9	3	
23 月	7	5	4	4	4	5	6	9	6	4	4	5	6	5	4	4	5	6	10	8	6	8	8	8	24	141	6	10	4	
24 火	7	6	6	6	5	5	6	11	11	5	4	4	4	4	4	4	4	5	5	5	5	3	3	3	24	125	5	11	3	
25 水	3	3	3	3	3	3	8	11	10	6	2	2	2	2	3	3	調整	調整	6	5	4	6	6	5	22	99	5	11	2	
26 木	3	3	4	3	3	3	4	5	9	6	5	6	8	6	6	7	9	9	7	7	6	5	6	5	24	135	6	9	3	
27 金	5	校正	8	8	6	5	5	6	5	5	4	4	5	6	6	5	5	6	6	6	6	5	5	4	23	123	5	8	3	
28 土	3	2	2	2	3	3	3	4	5	4	4	4	3	3	3	3	4	5	5	5	4	4	4	4	24	86	4	5	2	
29 日	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	6	8	7	8	6	6	6	24	108	5	8	3	
30 月	5	5	4	3	3	4	4	6	6	7	5	4	4	3	4	4	5	6	5	5	5	6	6	5	24	114	5	7	3	
31 火	4	4	5	5	5	4	4	5	6	7	7	5	4	5	4	4	5	6	9	10	11	8	6	6	24	139	6	11	4	
時間	31	27	31	31	31	31	31	31	31	31	31	31	31	30	30	30	30	30	31	31	31	31	31	31	735					
合計	143	116	125	118	117	118	140	188	180	147	143	134	128	125	123	125	149	186	202	198	195	192	173	154		3619				
平均	5	4	4	4	4	4	5	6	6	5	5	4	4	4	4	4	5	6	7	6	6	6	6	5			5			
最高	10	8	8	8	6	6	8	11	11	7	9	6	8	8	7	8	9	10	10	12	13	13	12	9				13		
最低	2	2	2	2	2	2	2	3	3	3	2	2	2	2	2	2	3	3	3	3	3	3	2	2	2					2

有効測定日数 31 日  
 測定時間 735 時間  
 平均値 5 × 0.1ppm  
 8時間値が20ppmを超えた回数とその割合 0 回 ( 0.0%)  
 日平均値が10ppmを超えた日数とその割合 0 日 ( 0.0%)  
 1時間値が30ppm以上の日数とその割合 0 日 ( 0.0%)  
 1時間値の最高値 13 × 0.1ppm  
 日平均値の最高値 8 × 0.1ppm  
 日平均値が、10ppmを超えた日が2日以上連続したことの有無 ( × : 有 ○ : 無 ) ○

月報

2014年01月

PAGE:58

局名:20 曾根崎 項目:8 CO 単位:0.1ppm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低	
1 水	5	6	7	5	6	6	6	7	7	6	6	5	5	5	4	4	4	5	6	6	5	5	4	4	24	129	5	7	4	
2 木	4	3	4	3	4	5	5	5	4	4	5	4	4	4	5	3	4	4	4	5	5	5	6	6	24	105	4	6	3	
3 金	7	校正	5	6	6	4	5	5	5	7	5	5	4	5	5	5	5	7	8	6	6	6	7	7	23	131	6	8	4	
4 土	7	7	5	4	6	5	6	8	6	5	4	5	5	5	5	5	5	6	7	8	7	9	7	6	24	143	6	9	4	
5 日	5	5	5	5	5	5	5	5	7	5	4	3	3	3	4	5	5	5	5	4	4	4	3	4	24	108	5	7	3	
6 月	4	4	4	5	5	5	6	5	9	6	5	5	4	4	4	4	5	5	6	7	7	6	4	4	24	123	5	9	4	
7 火	4	4	4	4	4	4	4	6	7	5	5	4	4	4	4	4	5	5	9	6	7	7	6	5	24	121	5	9	4	
8 水	4	4	5	5	5	4	5	6	5	5	5	5	5	6	5	5	5	4	4	3	3	4	4	4	24	110	5	6	3	
9 木	4	4	4	4	5	4	4	4	3	3	3	3	3	3	3	3	3	4	4	4	4	3	3	4	3	24	85	4	5	3
10 金	4	校正	3	3	3	4	4	5	4	3	3	3	4	4	4	4	5	7	8	9	8	7	7	5	23	111	5	9	3	
11 土	5	4	4	4	4	4	5	5	5	5	4	4	5	5	4	4	5	5	7	7	9	8	8	8	24	128	5	9	4	
12 日	7	7	6	7	7	6	5	6	6	6	5	6	6	5	6	6	6	7	8	8	9	10	8	6	24	159	7	10	5	
13 月	6	5	7	6	6	6	6	6	6	6	5	6	5	4	4	4	4	5	6	5	5	5	5	4	24	127	5	7	4	
14 火	5	5	4	4	4	5	5	7	7	4	3	3	3	調整	調整	調整	調整	0	3	4	4	4	4	4	20	82	4	7	0	
15 水	3	校正	3	3	2	3	3	5	4	5	4	4	3	4	4	4	3	4	3	4	3	4	5	3	23	83	4	5	2	
16 木	4	3	4	3	4	5	6	6	5	3	3	3	3	4	3	4	4	4	5	5	5	7	8	9	24	110	5	9	3	
17 金	6	5	4	4	5	4	6	9	6	6	4	4	5	7	6	6	7	5	9	6	7	10	8	8	24	147	6	10	4	
18 土	8	7	6	6	7	6	9	12	11	8	7	7	7	6	6	6	7	7	7	7	6	6	7	5	3	24	167	7	12	3
19 日	3	4	4	3	5	4	5	7	7	5	4	3	3	3	3	3	4	5	6	7	7	7	6	5	24	113	5	7	3	
20 月	4	3	4	4	3	4	5	8	14	7	6	5	5	5	5	5	7	10	10	8	8	7	6	6	24	149	6	14	3	
21 火	6	4	3	5	5	4	4	4	5	4	3	3	3	4	4	4	5	6	6	6	5	5	5	5	24	108	5	6	3	
22 水	5	校正	5	5	5	5	5	7	6	5	4	6	5	6	6	6	4	6	10	9	10	10	9	8	23	147	6	10	4	
23 木	9	9	7	6	7	7	8	8	7	5	5	5	4	4	4	5	5	7	10	9	12	10	9	7	24	169	7	12	4	
24 金	5	6	5	5	5	5	6	8	6	6	5	5	5	5	5	4	4	5	7	10	10	7	8	5	24	142	6	10	4	
25 土	3	4	5	5	5	6	6	10	10	6	7	7	5	6	4	4	6	8	9	8	5	4	5	7	24	145	6	10	3	
26 日	5	5	4	4	4	5	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	4	3	3	24	85	4	5	3	
27 月	3	3	2	2	2	3	3	6	5	3	3	3	3	3	4	3	3	4	8	7	8	7	7	7	24	102	4	8	2	
28 火	7	5	5	5	5	5	5	9	9	6	5	6	4	3	調整	5	6	7	8	9	8	8	8	8	23	146	6	9	3	
29 水	7	校正	6	6	5	3	5	8	9	5	3	3	3	3	3	3	4	6	10	9	6	6	7	6	23	126	5	10	3	
30 木	5	4	4	4	4	4	5	6	7	9	7	7	7	6	5	6	6	8	9	8	9	8	8	7	24	153	6	9	4	
31 金	8	8	7	8	7	8	10	14	16	9	6	5	4	4	4	3	4	5	9	11	8	7	8	5	24	178	7	16	3	
時間	31	26	31	31	31	31	31	31	31	31	31	31	31	30	29	30	30	31	31	31	31	31	31	31	734					
合計	162	128	145	143	150	148	166	211	212	165	141	140	132	133	126	130	143	169	214	207	202	201	192	172		3932				
平均	5	5	5	5	5	5	5	7	7	5	5	5	4	4	4	4	5	5	7	7	7	6	6	6			5			
最高	9	9	7	8	7	8	10	14	16	9	7	7	7	7	6	6	7	10	10	11	12	10	9	9				16		
最低	3	3	2	2	2	3	3	4	3	3	3	3	3	3	3	3	3	0	3	3	3	3	3	3					0	

有効測定日数 31 日  
 測定時間 734 時間  
 平均値 5 × 0.1ppm  
 8時間値が20ppmを超えた回数とその割合 0 回(0.0%)  
 日平均値が10ppmを超えた日数とその割合 0 日(0.0%)  
 1時間値が30ppm以上の日数とその割合 0 日(0.0%)  
 1時間値の最高値 16 × 0.1ppm  
 日平均値の最高値 7 × 0.1ppm  
 日平均値が、10ppmを超えた日が2日以上連続したことの有無(×:有 ○:無) ○

月報

2014年02月

PAGE:59

局名：20 曾根崎 項目：8 CO 単位：0.1ppm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	時間	合計	平均	最高	最低
1 土	5	5	6	5	5	5	7	11	7	6	6	6	6	6	6	6	8	8	12	10	9	8	7	5	24	165	7	12	5
2 日	5	5	5	4	4	4	5	4	5	4	4	4	4	3	3	3	3	4	4	4	4	4	4	3	24	96	4	5	3
3 月	3	3	3	4	4	4	5	5	6	6	6	7	6	6	6	6	5	6	5	5	5	5	4	3	24	118	5	7	3
4 火	3	3	3	2	3	3	3	3	4	3	3	3	3	3	3	3	3	4	5	5	4	2	2	3	24	76	3	5	2
5 水	3	校正	3	3	3	3	4	5	5	5	4	3	3	3	3	3	3	3	3	3	4	5	4	3	23	81	4	5	3
6 木	3	3	3	3	3	3	3	4	4	4	3	3	3	4	3	3	4	4	3	3	3	3	3	3	24	78	3	4	3
7 金	3	3	3	3	3	3	3	4	4	4	4	4	4	3	3	4	3	4	4	3	3	3	3	3	24	81	3	4	3
8 土	3	3	3	3	3	3	3	4	4	4	3	3	3	3	3	2	3	3	3	2	3	3	4	4	24	75	3	4	2
9 日	4	4	4	3	3	3	4	3	3	3	3	4	4	3	4	4	4	4	4	4	4	4	5	4	24	89	4	5	3
10 月	3	3	4	4	3	4	4	5	4	3	3	3	3	3	3	調整	3	3	4	3	3	3	3	3	23	77	3	5	3
11 火	3	2	2	2	2	2	2	3	2	2	3	2	3	3	2	3	3	3	3	3	3	3	3	2	24	61	3	3	2
12 水	2	校正	2	2	2	2	3	4	3	2	2	2	2	3	2	2	2	3	3	3	3	3	2	2	23	56	2	4	2
13 木	2	2	2	2	2	2	2	3	3	3	2	2	2	2	2	2	3	3	4	4	3	3	2	2	24	59	2	4	2
14 金	2	2	2	2	2	2	2	3	3	3	3	3	2	3	3	3	3	3	3	3	4	3	2	3	24	64	3	4	2
15 土	2	2	2	2	2	2	2	3	3	3	3	3	2	2	2	2	2	3	3	3	2	3	3	5	24	61	3	5	2
16 日	4	4	4	5	4	3	5	5	5	4	4	3	3	3	4	3	4	4	5	4	3	4	4	4	24	95	4	5	3
17 月	3	3	4	3	3	4	5	6	5	5	3	4	4	4	3	3	3	4	4	3	2	2	2	2	24	84	4	6	2
18 火	2	3	3	3	3	3	3	3	3	3	3	3	2	2	2	2	2	3	3	2	2	2	2	2	24	61	3	3	2
19 水	2	校正	2	2	2	2	2	3	3	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	23	57	2	3	2
20 木	3	3	3	3	3	3	3	3	3	2	3	2	2	3	3	3	3	3	3	3	4	6	6	4	24	77	3	6	2
21 金	4	3	3	3	3	3	3	5	4	4	4	4	4	4	4	4	4	5	5	4	4	4	5	5	24	95	4	5	3
22 土	4	4	5	5	5	5	6	6	5	4	3	3	3	3	3	4	5	5	4	4	4	5	5	4	24	104	4	6	3
23 日	3	3	3	3	3	4	4	5	5	4	3	3	3	3	3	4	4	4	4	4	4	3	4	3	24	86	4	5	3
24 月	3	3	3	3	3	3	5	8	5	5	3	調整	4	4	5	5	5	5	5	5	4	4	5	5	23	100	4	8	3
25 火	5	6	5	4	4	4	5	7	7	5	4	4	4	4	5	5	6	6	6	6	6	6	6	6	24	126	5	7	4
26 水	7	校正	5	5	6	6	6	9	7	6	6	6	5	6	6	6	5	3	3	3	3	3	3	3	23	118	5	9	3
27 木	4	4	3	3	3	4	5	5	6	6	7	5	4	4	4	3	3	4	8	9	8	8	7	6	24	123	5	9	3
28 金	6	3	3	3	3	5	4	6	5	4	3	4	3	3	4	6	5	5	5	4	4	4	5	4	24	101	4	6	3
時間	28	24	28	28	28	28	28	28	28	28	28	27	28	28	28	27	28	28	28	28	28	28	28	28	666				
合計	96	79	93	89	89	94	108	135	123	109	100	95	93	95	96	97	104	112	121	112	108	109	108	99		2464			
平均	3	3	3	3	3	3	4	5	4	4	4	4	3	3	3	4	4	4	4	4	4	4	4	4			4		
最高	7	6	6	5	6	6	7	11	7	6	7	7	6	6	6	6	8	8	12	10	9	8	7	6				12	
最低	2	2	2	2	2	2	2	3	2	2	2	2	2	2	2	2	2	3	3	2	2	2	2	2					2

有効測定日数

28 日

測定時間

666 時間

平均値

4 × 0.1ppm

8時間値が20ppmを超えた回数とその割合

0 回 ( 0.0%)

日平均値が10ppmを超えた日数とその割合

0 日 ( 0.0%)

1時間値が30ppm以上の日数とその割合

0 日 ( 0.0%)

1時間値の最高値

12 × 0.1ppm

日平均値の最高値

7 × 0.1ppm

日平均値が、10ppmを超えた日が2日以上連続したことの有無 ( × : 有 ○ : 無)

○

