

大豆定期調査結果（令和8年8月上旬）

| 調査月日：8月3～5日 |           |    |            |              |             |                |                |                  |            |            | 50株調査     |
|-------------|-----------|----|------------|--------------|-------------|----------------|----------------|------------------|------------|------------|-----------|
| 調査地点        | ハスモンヨトウ幼虫 |    | 白変葉<br>(%) | カメムシ類<br>(%) | ハダニ類<br>(%) | アブラムシ<br>類 (%) | コナジラミ<br>類 (%) | アサヅチメ<br>ハムシ (%) | 葉焼病<br>(%) | べと病<br>(%) | 備考        |
|             | 寄生 (%)    | 齢期 |            |              |             |                |                |                  |            |            |           |
| A地区 ①       | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          | 材料コガ 36%  |
| 〃 ②         | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          | 材料コガ 2%   |
| B地区 ①       | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          |           |
| 〃 ②         | 2         | 若  | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          |           |
| C地区 ①       | 0         |    | 0          | 0            | 0           | 0              | 2              | 0                | 0          | 0          | 区外にハスモン若齢 |
| 〃 ②         | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          |           |
| D地区 ①       | 0         |    | 0          | 0            | 0           | 0              | 2              | 2                | 0          | 0          |           |
| 〃 ②         | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          |           |
| E地区 ①       | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          |           |
| 〃 ②         | 0         |    | 0          | 0            | 0           | 0              | 0              | 2                | 0          | 0          |           |
| F地区 ①       | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          |           |
| 〃 ②         | 0         |    | 0          | 0            | 0           | 0              | 0              | 4                | 0          | 0          |           |
| G地区 ①       | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          | 材料コガ 2%   |
| 〃 ②         | 0         |    | 0          | 4            | 0           | 0              | 2              | 4                | 0          | 0          |           |
| H地区 ①       | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          |           |
| 〃 ②         | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          |           |
| I地区 ①       | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          | 材料コガ 2%   |
| 〃 ②         | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          |           |
| J地区 ①       | 4         | 若  | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          |           |
| 〃 ②         | 0         |    | 0          | 0            | 0           | 0              | 0              | 0                | 0          | 0          |           |
| K地区 ①       | 0         |    | 4          | 0            | 0           | 0              | 4              | 0                | 0          | 0          |           |
| 〃 ②         | 0         |    | 0          | 0            | 0           | 0              | 14             | 0                | 0          | 0          |           |
| 発生圃場率       | 9.1       |    | 4.5        | 4.5          | 0           | 0              | 22.7           | 18.2             | 0          | 0          |           |
| 平均発生株率      | 0.3       |    | 0.2        | 0.2          | 0           | 0              | 1.1            | 0.5              | 0          | 0          |           |
| 発生率の平年<br>値 | 0.4       |    | 0.2        | 0.2          | 0.06        | 0.1            | 0.2            | —                | 0          | 0.1        |           |
| （平年比）       | 並         |    | 並          | 並            | やや少         | やや少            | 多              | —                | 並          | 並          |           |
| 発生率の前年値     | 0.5       |    | 0          | 0            | 0           | 0              | 0.3            | 0.2              | 0          | 0          |           |