

第2表(9-1) 〔総数〕粗死亡率・年齢調整死亡率(人口10万対)・標準化死亡比(SMR), 主要死因・市町別

市 町	全 死 因			01200			02100		
	粗死亡率	年齢調整死亡率	SMR	結核			悪性新生物		
				粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
総 数	932.0	448.5	99.9	2.1	0.9	89.1	290.0	155.7	105.9
市 計	922.3	450.4	100.3	2.0	0.9	88.4	287.6	156.4	106.2
郡 計	975.9	440.3	98.3	2.3	1.0	91.9	301.3	152.6	104.3
佐賀中部保健所	873.3	444.1	99.1	1.9	0.9	89.3	288.1	162.8	110.9
佐 賀 市	850.4	444.0	99.1	1.9	0.9	89.2	279.7	161.7	110.4
多 久 市	1 084.3	453.8	97.0	1.5	0.4	55.1	347.1	164.0	107.9
小 城 市	858.9	439.3	99.8	2.2	1.1	102.6	278.5	160.0	109.5
神 埼 市	966.5	450.9	99.0	2.7	1.1	111.9	323.1	171.3	114.5
神 埼 郡	749.7	444.1	101.3	1.1	0.5	62.5	280.8	175.0	122.7
吉野ヶ里町	749.7	444.1	101.3	1.1	0.5	62.5	280.8	175.0	122.7
鳥栖保健所	784.7	427.6	96.9	2.3	1.1	113.2	258.0	154.9	106.9
鳥 栖 市	742.9	444.2	101.6	2.1	1.0	115.0	250.7	162.0	112.4
三 養 基 郡	831.0	413.2	92.7	2.5	1.2	111.5	266.1	148.4	101.7
基 山 町	698.2	371.4	80.5	1.9	1.0	91.2	227.5	140.7	94.2
上 峰 町	801.1	462.8	108.6	1.0	0.6	56.9	269.1	179.0	119.3
み や き 町	931.6	431.8	96.4	3.3	1.4	136.9	291.6	146.0	101.6
唐津保健所	1 011.9	474.1	103.9	1.8	0.8	75.3	291.2	151.3	101.5
唐 津 市	1 011.1	472.9	103.6	1.8	0.8	76.1	292.1	151.4	101.6
東 松 浦 郡	1 026.9	500.1	110.5	1.3	0.6	57.6	274.6	150.1	99.9
玄 海 町	1 026.9	500.1	110.5	1.3	0.6	57.6	274.6	150.1	99.9
伊万里保健所	1 018.0	459.5	102.2	2.0	0.8	81.9	284.7	143.2	97.2
伊 万 里 市	1 026.3	462.1	102.7	1.7	0.8	68.6	281.4	143.0	96.0
西 松 浦 郡	996.0	453.4	100.8	2.9	1.1	117.6	293.5	144.0	100.5
有 田 町	996.0	453.4	100.8	2.9	1.1	117.6	293.5	144.0	100.5
杵藤保健所	1 049.3	447.4	99.0	2.4	0.9	89.7	317.4	153.1	103.6
武 雄 市	1 001.2	460.2	103.8	2.9	1.1	122.3	299.8	152.3	104.8
鹿 島 市	974.0	443.2	99.7	2.2	1.1	90.5	331.7	166.6	115.2
嬉 野 市	994.8	421.0	89.9	1.8	0.6	64.3	276.0	136.8	88.3
杵 島 郡	1 190.8	461.2	100.2	2.2	1.0	74.0	362.7	160.7	108.0
大 町 町	1 388.0	499.9	103.5	2.2	2.0	66.0	398.9	166.8	107.7
江 北 町	1 149.5	455.7	104.5	1.9	0.6	69.3	347.7	161.5	110.6
白 石 町	1 146.6	452.3	97.7	2.3	0.8	78.3	357.2	158.6	107.2
藤 津 郡	1 068.4	436.6	98.3	2.5	0.8	92.2	285.9	136.0	89.6
太 良 町	1 068.4	436.6	98.3	2.5	0.8	92.2	285.9	136.0	89.6

平成9年～平成19年

02102			02103			02105			02106		
食道			胃			直腸S状結腸移行部及び直腸			肝及び肝内胆管		
粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
6.8	4.0	74.1	43.9	23.2	97.4	10.4	5.7	92.7	45.1	25.1	152.0
6.4	3.8	70.7	42.8	23.0	96.2	10.4	5.8	93.5	44.7	25.3	152.5
8.5	4.6	88.3	48.8	24.1	102.6	10.5	5.4	89.0	46.8	24.5	150.3
6.3	3.8	72.4	42.7	23.7	100.0	9.8	5.7	92.1	51.3	29.8	182.2
6.5	4.0	76.0	40.5	23.2	97.2	9.9	5.8	94.7	49.2	29.3	178.5
8.5	4.4	80.6	51.9	24.4	97.9	12.7	6.4	97.7	57.7	28.9	168.2
6.0	3.9	69.7	45.9	25.1	109.8	8.9	5.2	85.5	37.3	22.2	135.4
4.3	2.5	46.0	50.7	26.3	109.1	10.3	5.7	88.8	64.8	35.6	214.2
5.7	3.7	71.7	35.5	20.9	94.8	6.3	4.5	65.7	85.8	52.6	336.2
5.7	3.7	71.7	35.5	20.9	94.8	6.3	4.5	65.7	85.8	52.6	336.2
6.2	4.0	74.8	37.8	21.9	95.3	9.8	5.7	97.1	47.7	29.3	181.2
6.1	4.1	77.9	35.8	22.8	97.9	9.6	6.0	102.6	50.8	33.3	206.2
6.4	3.9	71.8	40.0	21.0	92.9	10.0	5.5	91.9	44.3	25.2	157.0
6.2	4.0	77.7	35.3	19.9	88.2	12.4	7.7	124.3	30.5	18.9	121.1
2.1	1.6	26.5	39.3	25.4	106.6	12.4	8.0	131.8	49.7	32.5	199.0
7.9	4.6	79.9	43.5	21.0	92.2	7.5	3.5	63.2	52.0	26.6	166.2
5.1	2.9	52.8	42.6	22.2	90.2	10.3	5.7	87.5	36.3	19.9	116.7
4.9	2.8	51.1	42.9	22.3	90.8	10.3	5.7	87.7	36.2	20.0	116.1
8.0	4.0	86.6	35.8	20.4	79.3	9.3	6.2	82.8	38.5	19.2	127.9
8.0	4.0	86.6	35.8	20.4	79.3	9.3	6.2	82.8	38.5	19.2	127.9
7.9	4.4	80.6	48.4	23.6	100.4	10.4	5.4	86.6	31.9	17.0	100.6
7.0	4.2	71.5	48.4	23.8	100.4	9.8	5.4	81.7	32.4	17.3	102.4
10.3	5.2	104.6	48.2	23.0	100.4	12.0	5.7	99.6	30.5	16.5	96.0
10.3	5.2	104.6	48.2	23.0	100.4	12.0	5.7	99.6	30.5	16.5	96.0
9.1	4.8	90.0	49.6	23.7	98.2	12.2	6.0	97.9	43.7	22.3	132.7
10.4	5.7	108.8	46.2	22.4	98.2	13.9	7.4	118.8	29.8	16.3	96.0
5.5	2.8	57.4	46.0	22.6	97.2	14.3	7.1	121.9	67.5	33.8	216.3
7.6	4.5	74.9	34.9	18.2	67.4	7.6	3.9	60.2	38.1	21.2	115.1
11.3	5.7	104.1	64.9	29.2	116.8	12.1	5.6	89.5	50.6	24.0	141.9
6.6	3.8	55.9	57.1	23.7	92.9	14.3	5.7	96.3	47.3	25.2	122.4
10.5	5.0	102.7	66.5	32.7	128.2	6.7	2.7	52.6	49.4	27.6	147.7
13.0	6.5	120.1	66.6	29.7	120.9	13.3	6.4	99.2	52.0	22.6	146.3
8.3	4.0	78.7	55.0	25.3	104.8	10.8	5.0	83.6	25.0	13.8	72.2
8.3	4.0	78.7	55.0	25.3	104.8	10.8	5.0	83.6	25.0	13.8	72.2

第2表(9-2) 〔総数〕粗死亡率・年齢調整死亡率(人口10万対)・標準化死亡比(SMR), 主要死因・市町別

市 町	02108			02110			02112		
	瞬			気管、気管支及び肺			乳房		
	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
総数	18.9	9.9	102.8	50.6	25.9	98.5	8.0	5.9	98.6
市計	18.9	10.1	104.0	50.2	26.0	99.0	8.2	6.1	101.6
郡計	19.0	9.4	97.7	52.2	25.5	96.4	7.2	5.2	85.4
佐賀中部保健所	18.4	10.2	105.5	47.8	26.2	98.4	8.8	6.8	112.1
佐賀市	18.7	10.7	109.7	45.8	25.8	96.9	8.9	6.8	113.9
多久市	20.8	9.1	95.9	60.8	26.7	99.6	9.6	6.6	107.9
小城市	19.9	11.3	116.5	50.7	28.7	106.5	8.7	7.1	112.7
神埼市	15.9	7.6	84.0	49.9	25.4	94.3	9.2	7.0	110.6
神埼郡	11.4	7.3	74.6	45.2	27.4	106.4	6.9	6.1	92.3
吉野ヶ里町	11.4	7.3	74.6	45.2	27.4	106.4	6.9	6.1	92.3
鳥栖保健所	16.6	9.6	102.6	42.9	25.8	96.1	7.4	5.6	95.1
鳥栖市	14.9	9.4	99.9	41.4	26.7	100.5	6.6	5.1	90.5
三養基郡	18.5	9.8	105.2	44.6	25.1	92.0	8.2	6.1	99.8
基山町	14.8	9.2	91.7	34.3	23.6	77.4	5.7	4.4	74.1
上峰町	13.5	8.7	89.1	54.9	38.4	131.3	8.3	8.1	112.1
みやき町	22.6	10.7	116.9	48.4	22.9	90.5	9.8	6.7	112.0
唐津保健所	19.8	10.5	102.8	56.6	27.2	104.8	7.5	5.1	88.9
唐津市	20.1	10.5	104.0	57.2	27.5	105.8	7.8	5.3	92.3
東松浦郡	14.6	9.0	79.0	43.8	21.7	84.3	1.3	1.1	16.8
玄海町	14.6	9.0	79.0	43.8	21.7	84.3	1.3	1.1	16.8
伊万里保健所	18.3	8.7	92.7	52.4	24.6	95.1	6.1	4.4	70.9
伊万里市	18.6	8.9	94.5	52.3	24.2	94.7	6.2	4.5	72.6
西松浦郡	17.3	8.3	88.1	52.8	25.7	96.3	5.8	3.9	66.7
有田町	17.3	8.3	88.1	52.8	25.7	96.3	5.8	3.9	66.7
杵藤保健所	21.2	9.9	102.6	55.9	24.8	96.5	8.2	5.7	95.5
武雄市	20.1	10.4	104.5	55.0	26.4	101.8	8.7	6.8	103.9
鹿島市	20.9	10.1	108.2	52.1	24.3	95.9	7.7	5.1	92.6
嬉野市	20.2	9.3	96.2	49.5	21.3	84.1	9.1	5.9	103.8
杵島郡	23.0	9.5	101.8	64.5	26.6	101.2	7.1	4.7	78.9
大町町	30.8	11.1	123.2	69.2	26.7	98.4	13.2	8.3	134.9
江北町	19.0	6.5	89.9	70.3	32.7	117.8	5.7	3.6	66.3
白石町	22.1	10.1	98.5	61.1	24.7	96.7	5.8	4.0	65.1
藤津郡	21.7	11.0	100.8	54.2	21.9	89.6	10.0	5.5	113.1
太良町	21.7	11.0	100.8	54.2	21.9	89.6	10.0	5.5	113.1

平成9年～平成19年

02113			02119			02200					
子宮*			白血病			その他			その他の新生物		
粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
9.0	5.3	100.4	8.8	5.6	145.1	92.8	47.4	102.8	7.5	3.6	94.8
9.1	5.4	102.6	8.6	5.6	144.5	92.4	47.9	103.7	7.3	3.6	93.6
8.5	4.7	90.7	9.3	5.8	147.8	94.5	45.5	99.0	8.3	3.7	99.9
9.0	5.9	105.3	7.4	5.1	128.7	90.8	48.3	106.3	6.7	3.6	90.6
9.5	6.0	112.1	7.0	4.9	122.8	88.3	48.0	106.2	6.6	3.6	91.6
7.2	4.6	71.8	8.1	5.1	117.5	113.1	50.1	105.6	8.1	3.8	86.0
7.5	5.0	90.0	9.5	6.4	167.5	87.6	47.3	104.8	6.2	3.4	84.5
10.2	7.7	112.2	7.0	4.4	113.6	105.5	52.9	112.9	7.6	3.9	92.2
6.7	4.6	87.7	8.6	5.8	162.5	72.1	44.2	97.5	6.3	3.4	99.5
6.7	4.6	87.7	8.6	5.8	162.5	72.1	44.2	97.5	6.3	3.4	99.5
7.6	4.5	92.4	5.7	4.2	104.9	79.9	46.3	101.4	7.4	4.1	108.9
7.1	4.4	91.7	4.9	3.9	94.5	77.0	48.2	106.5	6.6	4.1	106.8
8.1	4.6	93.1	6.7	4.6	115.0	83.2	44.5	96.6	8.3	4.0	110.9
7.2	4.3	87.7	3.8	2.7	70.5	80.6	48.0	100.0	6.2	2.6	86.1
2.0	1.2	25.7	5.2	3.8	99.4	82.8	51.9	113.3	4.1	2.1	65.8
10.6	5.3	113.9	9.2	5.9	145.4	85.1	41.3	90.5	11.1	5.3	137.0
10.2	5.2	109.7	13.6	8.3	216.4	94.1	46.6	99.7	8.3	3.6	101.3
10.2	5.2	109.3	12.5	7.5	198.9	94.7	46.9	100.0	8.3	3.5	100.5
10.8	4.4	118.5	34.5	25.9	568.7	83.6	40.1	92.4	9.3	4.8	118.2
10.8	4.4	118.5	34.5	25.9	568.7	83.6	40.1	92.4	9.3	4.8	118.2
7.3	4.3	76.8	10.4	6.5	162.4	95.2	46.1	98.7	8.2	3.9	98.0
6.5	3.8	68.8	11.3	7.2	177.3	92.0	45.5	95.1	8.4	4.2	99.5
9.3	5.3	97.5	7.8	5.0	122.8	103.9	47.7	108.2	7.8	3.2	94.1
9.3	5.3	97.5	7.8	5.0	122.8	103.9	47.7	108.2	7.8	3.2	94.1
9.7	4.8	99.4	8.9	4.9	135.1	103.4	48.2	101.7	7.9	3.4	88.4
7.9	4.7	85.1	7.8	4.0	124.5	103.8	50.2	110.2	6.4	3.1	78.5
17.7	8.5	192.6	8.8	5.3	140.1	99.4	50.7	104.8	9.6	4.6	116.8
6.0	1.9	60.2	9.7	5.5	144.7	96.1	45.8	92.0	6.4	2.5	69.8
7.8	3.9	74.5	9.5	4.5	134.1	115.5	48.7	102.8	8.1	3.2	82.0
8.2	2.5	71.2	12.1	4.3	157.2	144.0	56.6	115.1	8.8	4.3	78.9
1.8	0.6	18.2	9.5	5.2	141.2	109.3	45.2	104.2	7.6	3.1	82.2
9.7	5.4	93.7	8.8	4.4	124.4	109.2	47.3	98.2	8.1	3.0	82.9
12.7	6.8	127.8	10.0	7.6	146.2	84.2	38.2	79.9	12.5	5.0	136.4
12.7	6.8	127.8	10.0	7.6	146.2	84.2	38.2	79.9	12.5	5.0	136.4

* 子宮の悪性新生物は女子人口10万対の率である。

第2表(9-3)〔総数〕粗死亡率・年齢調整死亡率(人口10万対)・標準化死亡比(SMR), 主要死因・市町別

市 町	04100			09100			09200			09300		
	糖尿病			高血圧性疾患			心疾患(高血圧性を除く)			脳血管疾患		
	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
総 数	10.3	5.4	87.5	8.6	3.0	143.3	132.2	56.8	89.0	120.3	50.1	95.1
市 計	10.2	5.4	87.8	8.3	3.0	140.4	131.1	57.2	89.7	119.2	50.7	95.7
郡 計	10.8	5.3	86.3	10.1	3.3	155.6	137.2	54.9	86.2	125.4	47.6	92.4
佐賀中部保健所	9.1	5.0	81.8	6.7	2.5	118.5	118.5	54.3	84.8	105.3	47.0	88.5
佐 賀 市	8.6	4.9	79.1	6.9	2.6	125.8	117.2	55.0	86.2	102.6	46.9	88.9
多 久 市	12.3	5.1	87.8	9.6	2.9	129.7	145.8	55.2	80.7	127.0	47.6	82.1
小 城 市	9.7	5.1	89.6	4.4	1.4	80.2	121.0	56.8	88.8	112.2	49.7	96.8
神 埼 市	9.4	4.9	77.3	6.5	2.6	101.0	117.1	47.4	74.8	111.5	45.4	83.5
神 埼 郡	9.7	6.2	102.0	6.3	2.9	144.8	94.4	54.5	82.7	80.6	44.3	83.5
吉野ヶ里町	9.7	6.2	102.0	6.3	2.9	144.8	94.4	54.5	82.7	80.6	44.3	83.5
鳥栖保健所	10.1	5.7	98.6	7.9	3.4	156.4	102.0	50.4	80.2	84.0	40.5	77.8
鳥 栖 市	10.0	6.1	107.6	8.6	4.1	195.8	91.3	50.9	80.6	81.1	44.4	84.7
三 養 基 郡	10.1	5.4	90.3	7.2	2.9	123.5	113.9	49.8	79.8	87.1	36.8	71.8
基 山 町	7.2	3.9	67.7	9.1	4.0	151.7	88.7	40.1	63.2	82.5	37.0	69.1
上 峰 町	7.2	4.6	76.8	6.2	3.1	141.2	96.3	49.9	84.3	92.1	46.7	95.2
み や き 町	13.1	6.5	106.9	6.2	2.3	100.8	136.8	56.4	89.2	88.7	35.2	68.0
唐津保健所	13.1	6.7	106.2	10.3	3.5	165.4	151.5	64.1	97.6	132.1	55.4	99.9
唐 津 市	13.2	6.8	106.9	10.3	3.5	163.7	150.6	63.6	96.9	133.0	55.6	100.3
東 松 浦 郡	10.6	5.3	90.2	11.9	4.0	202.2	167.2	74.8	113.3	114.1	50.5	90.8
玄 海 町	10.6	5.3	90.2	11.9	4.0	202.2	167.2	74.8	113.3	114.1	50.5	90.8
伊万里保健所	8.8	4.2	69.8	11.7	3.8	182.8	156.0	63.1	98.2	146.7	56.6	108.2
伊 万 里 市	8.1	3.9	64.0	11.0	3.5	170.9	166.3	67.4	104.2	155.6	58.8	114.2
西 松 浦 郡	10.7	4.9	85.6	13.6	4.9	214.9	128.6	51.9	81.8	123.3	50.5	91.9
有 田 町	10.7	4.9	85.6	13.6	4.9	214.9	128.6	51.9	81.8	123.3	50.5	91.9
杵藤保健所	11.4	5.4	85.7	10.2	3.0	145.7	154.4	56.0	90.5	154.2	53.7	105.8
武 雄 市	13.5	6.4	110.4	9.7	3.4	159.2	145.6	58.0	95.0	138.8	54.8	106.1
鹿 島 市	8.3	4.2	66.8	10.2	3.4	162.9	154.5	58.8	99.2	118.7	45.4	89.3
嬉 野 市	10.5	5.4	76.9	6.7	1.7	89.1	137.4	47.5	76.3	174.9	57.7	113.6
杵 島 郡	12.7	5.8	86.0	13.7	3.4	168.6	170.3	57.6	87.9	180.4	54.5	108.8
大 町 町	23.1	8.4	139.8	12.1	3.2	128.0	250.6	74.0	113.4	216.5	57.3	114.1
江 北 町	9.5	4.0	69.1	25.7	6.6	348.8	158.7	60.0	89.1	163.4	51.2	107.1
白 石 町	10.7	5.6	73.5	10.1	2.4	126.0	150.5	51.6	78.8	175.5	54.6	107.4
藤 津 郡	7.5	3.2	54.5	7.5	1.9	106.0	177.5	62.1	101.8	166.7	55.5	111.9
太 良 町	7.5	3.2	54.5	7.5	1.9	106.0	177.5	62.1	101.8	166.7	55.5	111.9

平成9年～平成19年

10200			11300			20101			20200		
肺炎			肝疾患			交通事故			自殺		
粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
98.8	35.3	107.2	13.6	8.4	99.5	13.8	10.9	145.6	25.0	22.8	107.1
98.9	35.9	109.3	13.7	8.6	101.4	13.5	10.8	143.6	24.6	22.5	105.7
98.4	32.8	98.6	13.1	7.7	91.5	14.9	11.8	154.5	26.8	23.9	113.4
99.5	37.6	115.3	13.4	8.5	102.4	13.0	10.3	140.3	22.6	20.8	97.8
96.3	37.9	115.2	12.7	8.3	98.3	12.6	10.1	136.3	22.5	20.7	97.8
124.3	36.4	108.3	20.4	10.0	132.6	13.9	10.3	136.6	26.2	24.0	108.6
97.3	36.9	116.0	12.7	8.6	98.8	12.1	9.8	133.2	22.4	21.0	99.3
120.4	38.7	122.2	14.6	8.5	104.3	15.4	11.6	159.4	20.8	18.7	87.9
73.8	36.3	110.0	14.3	9.7	118.4	16.6	13.1	186.5	22.3	20.2	98.9
73.8	36.3	110.0	14.3	9.7	118.4	16.6	13.1	186.5	22.3	20.2	98.9
81.7	34.8	105.6	13.0	8.7	103.4	11.8	9.7	130.3	22.3	19.8	96.3
72.5	35.1	108.0	14.2	10.0	119.7	11.7	9.9	132.7	20.5	18.6	90.4
91.8	34.8	103.6	11.8	7.4	87.5	11.9	9.5	127.9	24.2	21.1	102.5
66.3	25.6	73.8	9.1	6.0	72.7	7.2	6.4	79.5	21.5	20.1	94.4
108.7	48.6	160.5	11.4	8.1	95.4	12.4	11.2	142.2	13.5	11.8	60.2
104.1	37.7	110.2	13.7	7.9	94.2	15.1	11.0	154.5	29.5	24.3	119.8
105.3	35.3	109.3	14.1	8.9	99.2	15.3	13.3	158.8	28.8	26.2	122.1
107.6	36.0	111.4	14.3	8.9	100.2	15.4	13.3	159.9	28.1	25.5	119.0
61.0	20.5	66.9	10.6	7.1	78.6	13.3	13.3	138.6	42.5	40.3	185.6
61.0	20.5	66.9	10.6	7.1	78.6	13.3	13.3	138.6	42.5	40.3	185.6
101.8	35.2	102.9	14.8	8.8	101.9	14.1	10.6	145.9	29.4	27.4	123.8
100.1	34.7	100.6	16.0	9.6	110.5	14.9	10.2	154.1	26.8	25.2	113.3
106.4	36.5	109.2	11.5	6.7	79.1	12.0	11.6	124.1	36.3	33.1	151.6
106.4	36.5	109.2	11.5	6.7	79.1	12.0	11.6	124.1	36.3	33.1	151.6
102.4	31.8	95.0	13.5	7.5	91.1	15.3	11.6	155.1	26.7	24.5	113.0
98.4	34.3	103.9	12.8	7.6	90.9	13.7	11.4	142.9	27.9	25.4	119.4
80.4	26.9	83.1	11.6	6.1	81.7	15.2	11.3	157.9	24.2	23.2	104.2
112.8	34.9	97.4	14.1	7.9	93.7	11.7	8.0	118.5	30.2	28.1	127.2
113.9	31.5	91.2	15.5	8.3	97.8	18.1	13.5	175.7	24.4	21.5	101.2
115.4	25.6	79.6	13.2	6.7	76.7	25.3	19.9	233.8	33.0	29.0	130.5
97.9	29.2	86.0	13.3	6.1	89.2	14.3	13.0	142.1	19.0	13.6	80.6
118.9	34.1	96.9	16.9	9.5	107.4	17.2	11.7	168.8	23.7	22.3	99.0
110.0	30.0	100.6	12.5	7.3	81.4	21.7	17.2	217.1	28.3	26.6	119.1
110.0	30.0	100.6	12.5	7.3	81.4	21.7	17.2	217.1	28.3	26.6	119.1